HARDROCK

FABRICATION TOOLING CATALOG

INNOVATIVE TOOLING FOR THE MODERN COUNTERTOP SHOP






NEOLITH DEKTON GRANITE









CNC & EDGE MACHINES







LARGE FORMAT **TILE TOOLS**



MARBLE QUARTZ NANO GLASS

TABLE OF CONTENTS



Bridge Saw Blades page 4-14

Wodiam High Speed Blades (5-7)
Diatex Blades for Dekton, Neolith & Porcelain (8-9)
Pulitor Quartzite Blade (10)
Diamant D Blades (10)

SD Diamant Nano Glass & Marble Blades (11) Specialty Blades (12-13) Zenesis Blades (14)



Edge Machine Pads page 15-18

Sigma Diamant White Resin Wheels (16) Park Pro Edge Tools (17)

Alpha Twincur Polishers (18)



Slab Polishing & Finishing Tools page 19-22

Abrasivos Alicante (20-21)

Bushhammers (22)



CNC Tools page 23-36

Profile Grinding Wheels (24-26) Seaming Tooling (27) Pre-cut Wheels (28) Miter Wheels (28) Gauging Wheels (29-30) Finger Bits (31-33) Drill Bits (34-35) Router Bits (36)

TABLE OF CONTENTS



Fabrication Tools page 37-60

Core Diamond Bits (38-39)

Turbo Blades (40) Tile Blades (41)

Glass Blades (42)

3-Step Polishing Pads (43)

7-Step Polishing Pads (44)

Material Handling (45-48)

Adhesives (49-51)

Surface Treatments (52)

Power Tools (53-54)

Air Tools (55)

Dust Safety Equipment (56-60)



Large Format Tile Tools page 61-69

Abaco Stone & Tile Saws (62)

Omega Diamond (63)

Tile Saws (64)

Tile Cutters (65)

Large Format Tools (66-69)

Rubi Tile Leveling System (66)



Concrete Tools page 70-82

Machines (71-72)

Industrial Vacuums (73)

Fast Change Metal Bonds (74)

Concrete Diamond Pads (75-76)

Grinding Cups (77-78)

SmartKrete Chemicals (79-80)

Sprayers (81-82)



Maintenance & Restoration page 83-104

Sealers (84-85)

Cleaners (86-88)

Crystallizers (89)

Polishing Powders (89-90)

Repair Solutions (91)

Diamond Impregnated Pads (92)

Restoration Pads (93)

Machines (94)

Applicators (95)


Prep Tape (96-97)

Malish Grit Brushes (98-99)

Diamond Resin Pads (100-101)

Restoration Diamonds (102)

Maintenance Pads (103-104)



WODIAM BLADES EXCLUSIVE

Wodiam Blades are a game changer for Bridge Saw Blades. They allow for more refined sawing on ultra compact materials at the fastest speeds in the world. These blades will help you increase productivity and efficiency and they are offered exclusively at Hard Rock Tool. 160 inches/minute* **Dekton® Neolith®** 250 inches/minute* 314 inches/minute* **Hard Granite Soft Granite** | 590 inches/minute* 511 inches/minute* Quartz **Nanoglass** 300 inches/minute* **Sapian Stone** 250 inches/minute* Laminam 300 inches/minute* * Rate based on straight cut on 2cm thick material



ORDER ONLINE

WODIAM Wendy Bond Bridge Saw Blade

Wodiam developed a unique segment type especially for hard composite materials such as Dekton. The Wendy Bond saw blade goes through Dekton and other ultra-compact surfaces at an unprecedented speed and with an extremely refined finish.

- For saws with variable speed spindle adjustment
- Speeds up to 200 per minute in 2cm
- For use on High HP machine
- Cuts straight and miter

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm



Material

- Dekton[®]
- Granite
- Quartz

Equipment

Bridge Saw

Usage

• Wet

"The Wodiam Wendy is a great blade for cutting Dekton, we are now cutting Dekton at quartz speeds. What used to take 3 hours now takes about 30 minutes."

Joe Durfee, American Floor Covering Inc.

WODIAM BLADES



ORDER ONLINE

WODIAM Wim Bond Bridge Saw Blade

The Wodiam Wim Bond Bridge Saw Blade has been engineered to cut Dekton® and Ultra Compact Surface material. Feed rate averaging 120 inches per minute in 2cm material

- Increase your cutting speeds up to 70%
- For use on High HP machines
- Operator adjust RPM based on diameter, feed rate and material
- Use for straight cuts and miter cuts

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm
18"	3.4mm	10mm	50/60mm



Material

- Dekton®
- Neolith[®]
- Lapitec®
- Porcelain
- Ceramic

Equipment

• Bridge Saw

Usage

• Wet



ORDER ONLINE

WODIAM Joren Bridge Saw Blade

The Wodiam Joren Bridge Saw Blade has been engineered to cut Granite, Quartz and Quartzite. Feed rate averaging 250 inches per minute in 2cm material.

- Increase your cutting speeds up to 50%
- For use on Medium HP machines
- Use for straight cuts and miter cuts

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm
18"	3.4mm	10mm	50/60mm

Material

- Granite
- Quartz
- Quartzite

Equipment

Bridge Saw

Usage

Wet

The Fastest Production Blade on Earth!



See the Wodiam Blades in action!





WODIAM BLADES



ORDER ONLINE

WODIAM Barry Bond Bridge Saw Blade

The Wodiam Barry Bond Bridge Saw Blade has been engineered to cut Granite, Qaurtz & Quartzite. Feed rate averaging 250 inches per minute in 2cm material. The stability & cutting capability of the blade allows you to cut 4cm or more in one pass.

- Increase your cutting speeds up to 50%
- For use on High and Medium HP machines
- Use for straight cuts and miter cuts

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm
18"	3.4mm	10mm	50/60mm

Material

- Granite
- Quartz
- Quartzite

Equipment

Bridge Saw

Usage

Wet



ORDER ONLINE

WODIAM Ria Bridge Saw Blade

The Wodiam Ria Bridge Saw Blade has been engineered to cut Granite, Quartz and Quartzite. Feed rate averaging 250 inches per minute in 2cm material.

- Increase your cutting speeds up to 50%
- For use on High and Medium HP machines
- Use for straight cuts and miter cuts

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm
18"	3.4mm	10mm	50/60mm



Material

- Granite
- Quartz
- Quartzite

Equipment

• Bridge Saw

Usage

• Wet

WODIAM Salve Bridge Saw Blade



- Increase your cutting speeds up to 70%
- For use on High HP machines
- Operator adjust RPM based on diameter
- Use for straight cuts and miter cuts

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	50/60mm
16"	3.2mm	10mm	50/60mm
18"	3.4mm	10mm	50/60mm



Material

- Dekton[®]
- Neolith[®]
- Lapitec[®]
- Porcelain
- Ceramic

Equipment

Bridge Saw

Usage



DIATEX MITER BLADES













The DIATEX MiterCut Ultra Cutting Blade is the perfect blade for 45° cuts on 20mm thick Big Ceramic Slabs.

- Suitable for 45° cut on 20mm
- No chipping and no blow-outs
- Neatly cuts at 45° angles
- Made in Italy

Made in Italy









MITTERcut

Segment Thickness Diameter Segment Height Bore 3.2mm 60/50mm 10mm 18" 3.4mm 10mm 60/50mm

Material

- Neolith[®]
- Dekton®
- Lapitec[®]
- Porcelain
- Ultra Compact

Equipment

• Bridge Saw

Usage

DIATEX SPECIALTY BLADES



DIATEX GresCut Blade



The DIATEX GresCut Cutting Blade has been designed to cut Neolith®. Field testing has shown the ability to cut Dekton® and other Ultra Compact surfaces.

- Substantially increase your cutting speeds for the material
- No chipping and no blow-outs
- Available in silent and normal cores
- Specified by Neolith[®]





Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	60/50mm
16"	3.2mm	10mm	60/50mm
18"	3.4mm	10mm	60/50mm

Material

- Neolith[®]
- Dekton®
- Porcelain
- Ultra Compact

Equipment

• Bridge Saw

Usage

Wet

Material

Usage

Wet

Dekton[®]

Equipment Bridge Saw



DIATEX DekCut Blade



The DIATEX DekCut® Cutting Blade has been engineered to cut Dekton®. These ultra-compact slabs are gaining in popularity as solid surfaces, facades, siding and flooring, but are notoriously difficult cut.

- Substantially increase your cutting speeds for the material
- No chipping and no blow-outs
- Neatly cuts at 45° angles
- Available in silent and normal cores
- Made in Italy

П	
ı	DEKTON'

кто	N.
	KTO

Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	60/50mm
16"	3.2mm	10mm	60/50mm
18"	3.4mm	10mm	60/50mm

DIATEX LapiCut Blade



The DIATEX LapiCut Cutting Blade has been designed to cut Lapitec® and similar ceramic-based slabs with 12, 20 and 30mm thickness.

- Substantially increase your cutting speeds for the material
- No chipping and no blow-outs
- Available in silent and normal cores
- Made in Italy



Diameter	Segment Thickness	Segment Height	Bore
14"	3mm	10mm	60/50mm
16"	3mm	10mm	60/50mm
18"	3.4mm	10mm	60/50mm

Material

• Lapitec®


Equipment

• Bridge Saw

Usage



MUCH MORE...





PULITOR Quartzite Saw Blade

- Pulitor makes the Quartzite Block Saw Blades
- Cuts Tai Majal
- Does miter cuts
- Designed & Made in Italy



Material

Quartzite

Equipment

• Bridge Saw

Usage

Wet

"This is a placeholder for a testimonial quote"

- Customer Name, Company Name



#1 QUARTZITE BLADE ON THE MARKET







DIAMANT-D VX3 Bridge Saw Blade

The Diamant VX3 features a new V-shape, sandwiched segment design. For cutting the hardest granites and marbles.

- Unique V-Shape segment design
- 18mm diamond segments
- Titanium encapsulation for improved life
- Designed for use with 8HP+ saws

Diameter	Segment Height	Bore
14"	18mm	50/60mm
16"	18mm	50/60mm



- Granite
- Marble

Equipment

• Bridge Saw

Usage

Wet



DIAMANT-D Lampo Titanium Plus Blade

Diamant D Lampo Titanium Plus has a special sandwich segment for 30% longer life. Titanium in capsulation for aggressive sawing and maximum performance.

- Silent core for whisper-quiet operation
- Titanium coating for extended blade life
- Sandwich segments wear concave
- Available sizes: 14" & 16"

Diameter	Segment Height	Bore
14"	18mm	60mm
16"	18mm	60mm



Material

- Granite
- Marble

Equipment

• Bridge Saw

Usage

SD DIAMANT SAW BLADES






- Engineered for Nano Glass
- Nano bond with elongated diamond segments for nano cutting
- No Chipping
- Available sizes: 14", 16" & 20"

Material

• Nano Glass

Usage

Wet



SD DIAMANT Marble Saw Blade

- Silent and Standard Core
- No chipping
- Lower noise level
- Available sizes: 14", 16" & 20"

Material

Marble

Usage Wet



SD DIAMANT Porcelain Saw Blade

- Engineered for Porcelain only
- Fast cutting with no chipping
- Designed and made in Italy
- Available sizes: 10" with 10mm rim.

Material

• Porcelain

Usage

• Wet

EXCLUSIVE SPECIALTY BLADES



MILLENNIUM Diamond Saw Blade

The Millennium Diamond blade has a exclusive diamond segment pattern developed in Korea.

- Designed to cut Granite
- Fast Cutting & long life
- 25mm Segment Height
- Available sizes: 14" & 16"
- 100% Satisfaction Guaranteed

Material

Granite

Equipment

Bridge Saw

Usage

Wet









FARNESE Silver Miter Saw Blade

The Farnese Silver Miter Bridge Saw Blade is superior diamond formulat for mitering.

- Designed for miter cuts
- Reinforced core for miter cutting
- For Granite & Engineered Stone
- Available sizes: 14" & 16"

ORDER ONLINE

Material

- Granite
- Engineered Stone

Equipment

Bridge Saw

Usage



EXCLUSIVE SPECIALTY BLADES



Diamond Solutions



Designed for use on ultra-compact surfaces or sintered stone

ADW Ikon Ultra Compact Surface Blade

slabs, such as Dekton®, Neolith® and Lapitec®. These blades provide a clean cut and a long life.

- Sandwich construction segment
- Silent Bodied
- Suited to automatic bridge saw machines
- Available sizes: 12", 14", 16", 18" & 20"

Diameter	Segment Height	Bore
14"	10mm	50/60mm
16"	10mm	50/60mm

• Dekton® SPECIFIED

DEKTON®

DEKTON'

Neolith[®]

Material

- Lapitec®

Equipment

• Bridge Saw

Usage

Wet



Alpha Silencer III for Quartzite



- Designed for Quartzite and Class 5 Granites
- Fast, Chip-Free Cutting
- Miter Cut Capable with 15mm Segments
- Produces Excellent Cuts at Reduced Noise Level
- Available sizes: 14". 16" & 18"

Diameter	Segment Thickness	Segment Height	Bore
14"	2.8mm	15mm	50/60mm
16"	3.3mm	15mm	50/60mm
18"	4.4mm	15mm	50/60mm

ALPHA

Material

- Granite
- Quartz

Equipment

• Bridge Saw

Usage

Wet



Alpha Silencer III for Engineered Stone ALPHA

The Alpha Silencer III is a technologically advanced blade for use on engineered stone that produces excellent cuts while achieving superior cost performance with reduced noise levels.

- Designed for Engineered Stone
- Fast, Chip-Free Cutting
- Produces Excellent Cuts at Reduced Noise Level
- Available sizes: 12", 14", 16" & 18"

Diameter	Segment Thickness	Segment Height	Bore
12"	2.2mm	15mm	1"
14"	2.8mm	15mm	50/60mm
16"	3.3mm	15mm	50/60mm
18"	4.4mm	15mm	50/60mm

Material Engineered Stone

Quartz

Equipment

• Bridge Saw

Usage

ZENESIS SAW BLADES ZENESIS



ZENESIS 4 Black Bridge Saw Blade

The Zenesis Black 4 technology distributes the diamond grit into patterned colums, gradually increasing and focusing the highest concentration at the leading edge of each segment.

- New design to outperform all other saw blades on straight or mitered cuts. Up to 20% longer blade life
- Cutting granite, quartzite and engineered stone
- Available sizes: 12", 14", 16", 18" & 20"

Diameter	Segment Height	Bore
14"	25mm	50/60mm
16"	25mm	50/60mm

Material

- Granite
- Quartzite
- Engineered Stone

Usage

Wet



The Zenesis White III delivers excellent results. Innovative, new design provides reduced chipping.

ZENESIS III White Bridge Saw Blade

- Longer blade life
- Reduced chipping
- Lower noise level
- Available sizes: 12", 14", 16", 18" & 20"

Diameter	Segment Height	Bore
14"	25mm	50/60mm
16"	25mm	50/60mm

Material

- Granite
- Engineered Stone

Usage

Wet



ZENESIS Quartzite Saw Blade

Zenesis Quartzite Saw Blade quickly and cleanly cuts quartzite material.

- Unique segment design for fast cutting speeds
- Patterned diamond matrix for straight chip-free cuts
- Soft bond for continuous use without dressing
- Available sizes: 12", 14", 16", 18" & 20"

Diameter	Segment Height	Bore
14"	20mm	50/60mm
16"	20mm	50/60mm

Material

Quartzite

Usage

Wet

ZENSIS Miter Saw Blade

The Zenesis Miter blade provides sharp, smooth and chip free miter cuts

- Strong core to minimize flexing
- Engineered bond for chip free cuts to leave an invisible seam

Diameter	Segment Height	Bore
14"	10mm	50/60mm
16"	10mm	50/60mm

Material

- Granite
- Engineered Stone

Usage





SIGMA DIAMANT WHITE RESIN WHEELS



Raptor



Ideal for back Splash Machines. Machines like Sasso FLying Flat, Park Industries Fastback and Marmo Meccanica - LCV 711M



- Flat Edge Polishing
- White resin so it will work on Granite. Quartz and Marble
- 13 mm tall resin
- Long Life
- Made in Spain, ISO:9001 certified factory





Espiral



Ideal for back Splash Machines. Machines like Sasso FLying Flat, Park Industries Fastback and Marmo Meccanica - LCV 711M

- Flat Edge Polishing
- White resin so it will work on Granite, Quartz and Marble
- 13 mm tall resin
- Long Life
- Made in Spain, ISO:9001 certified factory





Reaper



Ideal for In Line Polishing Machines Machines like Commandulli Omega Series, Park Industries Velocity and Montresor Lara Series

- Bullnose & Flat Edge Polishing
- White resin so it will work on Granite, Quartz and Marble
- 6 mm tall resin
- Long Life
- Made in Spain, ISO:9001 certified Factory





Falcon



When working on Quartz and need more gloss, especially on Dark Quartz. Use all grits up to 800 and then use the conventional

Falcon Abrasive in 1500 and LUX

- 5 inch & 6 inch
- Made in Spain, ISO:9001 certified factory

PARK PRO EDGE TOOLS

ADR Hybrid Puzzle Wheels





Abrasive Diamond Resined (ADR) Hybrid Puzzle Wheels are designed to polish & gloss both straight & toroidal edges of quartz, marble, granite and ceramic.

- Innovative Puzzle cooling system keeps the tool refrigerated and in optimal working conditions throughout its useful life
- Great for Granite, Marble, Quartz & Ceramic
- Grits: 50, 100, 200, 400, 800, 1500 & 3000
- Available sizes: 125mm and 150mm

Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

- Edge Polisher
- CNC

















DIAMUT Sintered Wheels

We have all types of sintered wheels for your machine!

• Made in Italy









Emperador Diamente

Medium Cup Wheel for Flat Polish

- Use on single head machines
- Excellent life and performance
- Very low production costs
- 4" snail-lock attachment

PANTERA



Pro Edge Pos. 3, 4 & 5



DIAMUT Wheels Park Pro Edge

DIAMUT

For shaping and polishing granite on single head (C-frame) machines, such as the Park Pro Edge.

- Metal wheels formulated with graphite offer less resistance for aggressive cutting
- Metal wheels designed with water spreading bar for optimal cooling
- Extra thick 10mm metal wheels
- Position 1 & 2
- Made in Italy



ALPHA TWINCUR EDGE POLISHING



ORDER ONLINE

Alpha Twincur ES

Twincur ES is designed to polish the straight edges and bevels of engineered stone. Fabricators of engineered stone and quartz will love the ease of operation and the fast, consistent results.

- For Square Edge and Beveled Edge applications
- Easy Operation and Fast, Consistent Results
- Outstanding Cost-Performance
- For use on Single-Head and Multiple-Head Machines
- Available sizes: 4", 5" & 6"

ALPHR

Material

- Engineered Stone
- Quartz

ORDER ONLINE

Alpha Twincur Resin

Twincur ES is designed to polish the straight edges and bevels of granite and works on wet polishing single-head machines as well as other polishing machines that use the 4" snail lock adapter.

- For Square Edge and Beveled Edge applications
- Easy Operation and Fast, Consistent Results
- Polishes Material Edges Up To 1-1/4" Thickness
- Outstanding Cost-Performance
- For use on Single-Head and Multiple-Head Machines
- Available sizes: 4"



Material

Granite



ORDER ONLINE

Alpha Twincur Final

Water volume on automatic edge polishing machines can be difficult to control. Alpha Professional Tools® produced a third final polish disc that is capable of performing with a significantly higher volume of water than the black or white final polish. Fabricators now have a choice and will love the super glossy finish they can achieve with these discs.

- For Square Edge and Beveled Edge applications
- Choice of Three Different Polish Types (Black, White and Green)
 Gives Operator Choice of Water Flow
- Achieves A Super Glossy Finish
- Easy Operation and Fast, Consistent Results
- Outstanding Cost-Performance
- For use on Single-Head and Multiple-Head Machines
- Available sizes: 4"



Material

• Granite



SLAB POLISHING & FINISHING



ADR Oval Disc

ABRASIVOS ALICANTE

Novel system for polishing and shining surfaces, through the revolutionary Diamond Resin Abrasive OVAL (ADR).

- Developed to optimize the polishing of different materials. Used on CNC machines.
- 100% effective structured abrasives
- Great for Granite, Quartz, Marble & Terrazzo
- Grits: 50, 100, 200, 400, 800, 1500 & 3000











Material

- Quartz
- Marble
- Granite
- Terrazzo

Equipment

- Semi-Automatic
- CNC



10" Wheel Diamond iFlex

ABRASIVOS ALICANTE

Designed to create new textures such as "Leather", "Silk", "Honed" as well as polished & high gloss finishes

- Flexible filaments with high resistance to wear
- Perfect finish & excellent performance
- Available sizes: 10" & 12"
- Grits: 24, 36, 46, 60, 80, 120, 180, 240, 320, 400, 500, 600 plus much more









Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

- Semi-Automatic
- CNC
- Floors
- Traditional



4" Diamond iFlex

Designed to create new textures such as "Leather", "Silk", "Honed" as well as polished finished & high gloss

- Flexible filaments with high resistance to wear
- Perfect finish & excellent performance
- Available sizes: 4", 5" & 6"
- Grits: 24, 36, 46, 60, 80, 120, 180, 240, 320, 400, 500, 600 plus much more







ALICANTE

ABRASIVOS

Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

- Semi-Automatic
- · CNC
- Floors
- Traditional



SLAB POLISHING & FINISHING



4" Diamond Ageing Wheels

ABRASIVOS ALICANTE

Designed to obtain "Aged" and "Satin" finishes of porcelain stoneware with automatic machinery, CNC & portable machines

- Great for granite, marble, quartz and ceramic
- Resin-Coated
- Available sizes: 4", 5" & 6"
- Grits: 24, 36, 46, 60, 80, 120, 180, 240, 320, 500, 600 plus much more







Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

- Semi-Automatic
- CNC
- Floors
- Traditional



4" Ageing Wheels

ABRASIVOS ALICANTE

Designed to obtain "Aged" and "Satin" finishes of porcelain stoneware with automatic machinery, CNC & portable machines

- Great for granite, marble, quartz and ceramic
- Resin-Coated
- Available sizes: 4", 5" & 6"
- Grits: 24, 36, 46, 60, 80, 120, 180, 240, 320, 400, 500, 600 plus much more







Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

Semi-Automatic

ABRASIVOS

ALICANTE

- CNC
- Floors
- Traditional







Frankfurt Bushhammer

Destined to bushhammer stone materials

- Great for Granite, Marble, Terrazzo & Concrete
- Anti-rust treatment
- High performance













Material

- Quartz
- Marble
- Granite
- Ceramic

Equipment

- Semi-Automatic
- · CNC
- Floors
- Traditional









SLAB POLISHING & FINISHING



Frankfurt Bushhammer

Destined to sandblast Marbles, Granites & other stone materials

- Novel sandblast finish
- Anti-rust treatment
- Registered Patented Invention





















Material

- Marble
- Granite
- Terrazzo
- Concrete

Equipment

- Semi-Automatic
- CNC
- Floors
- Automatic



System 100 Bushhammer

Novel High-performance bush hammer system, designed to make anit-slip bands

- Great for granite & marble
- Universal coupling
- Finishes (Coarse, Standard, fine & non-slipping & etc.)

Material

- Marble
- Granite

Equipment

- Semi-Automatic
- CNC
- Automatic



ADM Frankfurt

Abrasive Diamond Metallic

- Great for Granite, Marble, Terrazzo & Quartzite
- Maximum precision in processes & products
- Grits: 10, 20, 40, 60, 80, 100, 120, 140, 170 & 200









Material

- Marble
- Granite
- Quartzite
- Terrazzo

Equipment

- Semi-Automatic
- CNC
- Automatic



ADR Frankfurt

Abrasive Diamond Resined (ADR), designed to polish and gloss Marbles. Granites and other Stone Materials.

- Great for Granite, Marble, Quartz & Concrete
- Designed to polish & gloss
- Grits: 36, 46, 60, 80, 120, 220, 320, 400, 500, 600 plus much more









Material

- Marble
- Granite
- Quartz
- Concrete

Equipment

- Semi-Automatic
- CNC
- Automatic









HYS Edge Profiling Wheels

These diamond and polishing wheels for Granite & Engineered stone are designed by Diamut to increase the CNC feed-rates to improve production. Carefully constructed of premium materials and with a high performance bond and diamonds, feedrates can reach up to 12,700 mm/min or 500 inches/min.




T23 R3

Series 40 \ 120 \ 80 \ 60 \ 20		
POS	D	ITEM TYPE
1	40	Segmented Diamond
2	40	Continuous Diamond
3	40	Continuous Diamond
4	40	Continuous Diamond
5	47	Flash Blue
6	47	Flash White
7	47	Flash Grey




T33 R3

Series 40 \ 120 \ 80 \ 60 \ 20		
POS	D	ITEM TYPE
1	40	Segmented Diamond
2	40	Continuous Diamond
3	40	Continuous Diamond
4	40	Continuous Diamond
5	47	Flash Blue
6	47	Flash White
7	47	Flash Grey




F33 R17.4

Series 120 \ 80 \ 60 \ 40 \ 20		
POS	D	ITEM TYPE
1	120	Segmented Diamond
2	120	Continuous Diamond
3	120	Continuous Diamond
4	120	Continuous Diamond
5	122	Flash Blue
6	122	Flash White
7	122	Flash Grey




H23

Series 120 \ 80 \ 60 \ 40 \ 20		
POS	D	ITEM TYPE
1	120	Segmented Diamond
2	120	Continuous Diamond
3	120	Continuous Diamond
4	120	Continuous Diamond
5	100	Flash Blue
6	100	Flash White
7	100	Flash Grey




V43

Series 120	80 \ 60	40 \ 20
POS	D	ITEM TYPE
1	120	Segmented Diamond
2	120	Continuous Diamond
3	120	Continuous Diamond
4	120	Continuous Diamond
5	105	Flash Blue
6	105	Flash White
7	105	Flash Grey




A23 R6

Series 80	120 60	40 20
POS	D	ITEM TYPE
1	80	Segmented Diamond
2	80	Continuous Diamond
3	80	Continuous Diamond
4	80	Continuous Diamond
5	73	Flash Blue
6	73	Flash White
7	73	Flash Grey
7	60	1000mm



Z45

Series 80	120 60	40 20
POS	D	ITEM TYPE
1	80	Segmented Diamond
2	80	Continuous Diamond
3	80	Continuous Diamond
4	80	Continuous Diamond
5	80	Flash Blue
6	80	Flash White
7	80	Flash Grey





SUPER Z MILLING SEAM WHEELS

To ensure a tight and clean seam edge, Diamut has multiple options when it comes to high speed stock removal. The traditional Power Edge utilized a straight segment and the Hyper Speed Power Edge, which is designed with an arrow shaped diamond to extend the tool life and lower the amp draw on the spindle.

Power Edge/Super Z





- HYS for Granite & Engineered Stone
- Standard segment





- Consistent wear
- Longer life


POS	D	ITEM TYPE
1	80	Rough Segmented
2	80	Medium Segmented
1	80	Rough Segmented
2	80	Medium Segmented

POS	D	ITEM TYPE				
1	80	Rough Segmented				
2	80	Medium Segmented				
1	80	Rough Segmented				
2	80	Medium Segmented				

SEAMING TOOLING


Z45

POS	D	ITEM TYPE
1	60	Continuous Diamond
2	60	Continuous Diamond
3	60	Continuous Diamond



Z35

		ITEM TO COE
POS	D	ITEM TYPE
1	60	Segmented Diamond
2	60	Continuous Diamond
3	60	Continuous Diamond





PRE-CUT WHEELS

Diamut manufactures pre-cut grinding wheels specifically for roughing marble, granite and synthetic materials. Pre-cutting wheels are available in a Y (45 degree) and X (top & bottom 45 degree) version wheel, designed to remove the bulk material for contoured profiles/shapes.



Segmented Corner Breaker Profile X



POS	D	ID	Н	Т	RPM	FEED mm/min	REMOVAL mm	CODE
1	120	86	35	56	5500	2500-3000	2.0 – 0.5mm	DGH77010
1	120	60	35	83	5500	2500-3000	2.0 – 0.5mm	DGH75838

HYS for Granite & Engineered Stone





Segmented Corner Breaker Profile Y



POS	D	ID	Н	Т	RPM	FEED mm/min	REMOVAL mm	CODE	
1	120	55	35	42	5500	2500-3000	2.0 – 0.5mm	DGH75232	
1	120	53	35	45	5500	2500-3000	2.0 – 0.5mm	DGH72079	

HYS for Granite & Engineered Stone



MITER WHEELS




Miter Tooling - 3 Step

HYS for Granite & Engineered Stone







POS	D	ID	Н	Т	RPM	FEED mm/min	REMOVAL mm	CODE
1	120	54	35	45	4500	800-1000	2.0 – 0.4mm	DGH81335
2	120	54	35	45	5000	1000-4000	0.4 – 0.2mm	DGH81336
3	120	54	35	45	5000	1000-4000	0.2 – 0.1mm	DGH81879



GAUGING CALIBRATION WHEELS

The calibration wheels, also known as a stubbing or gauging wheel, is used to provide a consistent and even thickness prior to running the profile tooling. This allows your profile tooling to provide a beautiful and consistent edge and ensure a perfect profile matching at the seams.





Heavy Duty (Granite & Engineered Stone)

D	Н	Т	Material	GRIT	RPM	FEED mm/min	REMOVAL mm	CODE
56	3 20	30	ENG - HGR - SGR	25	4500- 5000	200-2000	1-6	DRI70643
56	3 20	30	ENG - HGR - SGR	25	4500- 5000	200-2000	1-6	DRI70643





Granite & Engineered Stone

D	Н	Т	Z	Material	GRIT	RPM	FEED mm/min	REMOVAL mm	CODE
40	8	30	7	ENG-HGR-SGR	60	4500- 5000	500-1000	1-3	DRI70636
50	20	30	12	ENG-HGR-SGR	60	4500- 5000	500-1000	1-3	DRI70235
85	50	30	20	ENG-HGR-SGR	50	3800- 4200	600-1500	1-3	DRI70405
150	50	20	35	ENG-HGR-SGR	50	3800- 4200	600-1500	1-3	DRI70688





Heavy Duty (Marble)

D	Н	Т	Material	GRIT	RPM	FEED mm/min	REMOVAL mm	CODE
56	20	30	M	50	4500- 5000	200-2000	1-6	DRI79272





GAUGING CALIBRATION WHEELS





Electroplated (Marble)

D	Н	Т	Material	GRIT	RPM	FEED mm/min	REMOVAL mm	CODE
50	10	20	M	25	4500- 5500	400-800	1-4	DRI70227





1/2" Gas Connection Extension Adapter

L	L1	TOOL CONNECTION	Н	D WHEEL	CODE
22	85	35	7	50	7500-8000



Step Cutting Bit



D	L1	Н	MATERIAL	RPM	FEED mm/min	REMOVAL mm	CODE
20	20	M12	ENG - HGR - SGR	6000- 8000	1000-1500	2-3	DPT01D
25	18	M14	HGR - SGR - M	6000- 8000	1000-1500	2-3	DPT03
25	18	M14	ABR	6000- 8000	1000-1500	2-3	DPT08
20	10	M12	M	6000- 7000	1000-1500	2-5	DPT05
20	20	M12	M	6000- 7000	1000-1500	2-5	DPT06



Diamut has developed special router bits, which are distinguished by their external colors. Each model of the milling cutter has been designed, tested and created specifically to meet the unique needs of individual machining processes for all types of material, whether natural or synthetic.









Black - Storm HYS

High-speed router with a structure composed of 7 segments, each measuring 22 mm in diameter, particularly suitable for synthetic materials, granite and engineered stones.

D	L	L1	Z	GRIT	RPM	FEED ENG mm/min	FEED HGR mm/min	CODE
22	85	35	7	50	7500-8000	400-700	350-400	DFR02265
22	95	45	7	50	7500-8000	400-700	350-400	DFR02266
22	105	65	7	50	7500-8000	400-700	350-400	DFR03052

Great solution for Quartzite



Gold - Long Life

Durable router for hard granites and engineered stone, available in 20 & 22 mm diameter, specially designed to ensure superior resistance to abrasion.

D	L	L1	Z	GRIT	RPM	FEED ENG mm/min	FEED HGR mm/min	CODE
20	93	45	5	50	5000-5500	300-400	120-300	DFR01920
22	85	35	5	50	5000-5500	300-400	120-300	DFR02149





Blue - Universal

Universal router utilized to cut most all stones, available in 22 mm diameter, combining elevated cutting power with increased durability, thus avoiding the need to use two different tools.

D	L	L1	Z	GRIT	RPM	FEED ENG mm/min	FEED HGR mm/min	CODE
20	93	45	5	50	5000-5500	300-400	120-300	DFR01920
22	85	35	5	50	5000-5500	300-400	120-300	DFR02149

Engineered Stone, Hard Granite, & Soft Granite



Red - Dekton/Compact Ceramic

Dekton® router specifically designed for compact ceramic materials, available in 20mm diameter and constructed with 5 segments and has been developed in collaboration with the Cosentino Group.

D	L1	Z	RPM	FEED mm/min	CODE
20	25	5	4000-5000	200-300	DDKFR10002
20	30	5	4000-5000	200-300	DDKFR10004
20	45	5	4000-5000	200-300	DDKFR10001



Brown - Technical/Sintered

Technical material routers special designed for sintered materials, such as Laminam®, Neolith®, Stoneglass®, Kerlite®, etc. with a revolutionary bond that ensures the best working performance, available in 20mm diameter and constructed with 5 segments.

D	L1	Z	RPM	FEED mm/min	CODE
10	27	4	4000	200	DMTFR02900
16	25	5	6000-8000	350-600	DMTFR03038
	25	5	6000-8000	350-600	DMTFR10003
20	35	5	6000-8000	350-600	DMTFR10002

FINGER BITS



ItalDiamant CNC Finger Bits




Dekton CNC Finger Bits by ItalDiamant are specifically designed for use on Dekton. They are certified and approved for use on this material by the Cosentino.

- Thread Size: 1/2 Gas
- Available sizes: 3/4" (20mm) & 1-3/8" (35mm)
- For use on Dekton

ORDER ONLINE







ROYAL CNC Finger Bits



Uniquely styled finger bits. Water feeding with 1/2" thread as fitting as standard. For granite, marble, stone, tile and more. Milling tool for wet cutting.

ORDER ONLINE

Length	Diameter	Segments



ZENESIS CNC Finger Bits

SENEZIZ

Advanced "patterned technology" now featured In Zenesis CNC finger bits. Engineered for granite & engineered stone.

- 6 segments
- ½ gas thread
- Designed for fast and aggressive cutting
- RPM 4200-5500
- Feed Rate 12"-16" per minute
- Wet use only

Length	Diameter	Segments
		6
		6

ORDER ONLINE

WODIAM CNC Finger Bits



Wodiam CNC finger bits are engineered for use on Dekton, Neolith and other ultra compact surfaces..

- Red granite, marble, concrete and limestone
- White Dekton, Neolith and ultra compact surfaces
- Small white Incremental finger bit for Dekton, Neolith and ultra compact surfaces

ORDER ONLINE

Length	Diameter	Segments



DRILL BITS







Continuous Rim Bit

Superior cut quality suitable for event the finest materials, for a flawless finish. These are the key characteristics of Diamut's range of continuous rim drills

- Diameters from 6 mm and up
- For marble and granite





Segment and Blind Hole Bit

Suitable for even the most extreme processing operations while maintaining maximum precision, Diamut's segmented drills are setting new standards in terms of durability and cutting capacity. The Diamut drill range also features blind hole drills, designed for creating blind holes for slots, channels in the material and support connections.

- Diameters from 18 mm and up
- For granite





Diamut CNC Dekton Core Bit

Specifically designed for use on Dekton®, this core bit is a fast, fine cutting bit with a minimal chipping. Certified and approved for use on this material by Cosentino. Each version is available with various binders and grits. This ensures the perfect balance between tool durability and perfect finish quality.



DRILL BITS







ADW Thin Wall Core Drill Bit

The ADW Thin Wall Core Bit are Made in Spain and specifically designed for use on Porcelain, Hard Composite and Dekton® materials. They are engineered with a combo 1/2 Gas and 5/8-11" arbor for the ability to be used with CNC machines and hand tools.

- Available in all sizes
- Super clean & fast coring
- Use wet
- Made in Spain

ORDER ONLINE















The drill bits have a continuous crown and very thin walls, which reduces the contact surface and improves the finish of the hole. They are welded with laser to avoid cracks and improve the effectiveness of the operation.

ORDER ONLINE

SPECIFIED BY DEKTON®





NICOLAI CNC 1/2 Gas - 1 3/8 Core Drill Bit

A Continuous rim core bit is suggested when you need a highly smooth and accurate holing. Thanks to the continuous rim this tool gives you a slower cutting, if compared with a segmented ring core bit, but it ensures a clean cut even when exiting the material at the end of the holing.

• For Granite, Quartz, Engineered Stone, Dekton, Lapitec, Laminam and Neolith

ORDER ONLINE

ROUTER BITS


STONE PRO


Stone Pro's Innovation Department is extremely pleased to introduce our new line of Stone Pro Router Bits.

Fast cutting, long lasting and economical.



Available in all shapes!





CORE DIAMOND BITS



MAX-TEN Core Bit



The Max 10 core bit is designed with premium grade diamonds for superior cutting performance and longevity. Perfect for granite, marble, porcelain and concrete.

- Turbo T-Segmented
- Fast Cutting
- Vacuum Brazed
- Dry use
- ISO: 9001

ORDER ONLINE



DOMINATOR Core Bit

For ease of drilling and core release. Perfect for use in the field, dry or wet. T-segmented with diamond side protection on outside and inside. Use on granite, marble, travertine, limestone and concrete.

- Available in all sizes
- Super clean & fast coring
- Use wet
- Made in Spain

ORDER ONLINE





ADW Thin Wall Core Drill Bits

For ease of drilling and core release. Perfect for use in the field, dry or wet. T-segmented with diamond side protection on outside and inside. Use on granite, marble, travertine, limestone and concrete.

- Available in all sizes
- Super clean & fast coring
- Use wet
- Made in Spain

SPECIFIED BY DEKTON®







Vacuum Brazed Core Drill Bits

Vacuum brazed diamond core drill bits are the best for cutting hard porcelain and ceramic. Can be used wet or dry, with smooth coring, minimal chipping, less heat generation, no cracking and better finish quality.

- Multipurpose core bits
- Great for porcelain and engineered material
- Long lasting, and range from different sizes





CORE DIAMOND BITS



Quartzite 1 3/8 Core Bit

Specifically designed for QUARTZITE. Premium grade diamonds and durable construction for superior cutting performance and longevity.

- 5/8-11 center thread
- T-Segment design
- Vacuum brazed inside and out

ORDER ONLINE



Green Core Diamond Drill Bits With Pilot

These core bits are engineered with a 1/4 inch Pilot Bit to produce clean, easy, and precise core drilling. For use drilling granite, porcelain, artificial and natural stones. Special bond for granite and hard stone.

- Sintered with premium grade diamonds for fast, smooth performance and longer product life.
- Use wet or dry with hand drills
- Sizes: 1", 1 1/4", 1 3/8", 1 1/2", 1 3/4", 2"

ORDER ONLINE



Thin Wall Core Bits

Fast cutting and excellent for granite or marble. It includes a 5/8"-11" thread and is ideal for fabrication shops that want to maximize productivity.

- Fast cutting
- 5/8-11 center thread
- Excellent for use on granite, marble, engineered stone, porcelain, & other hard materials
- Sizes: 1 1/4", 1 3/8"

ORDER ONLINE



Montolit Milling & Countersink Bits

Montolit bits are designed to give a smooth, high-end finish. Very useful to reduce the risk of cracking with standard and large format tiles. Improve the edge finishing of exposed holes. Milling bits are designed to enlarge, shape and/or round bevel existing holes.

TURBO BLADES




ECO-TECH

Designed for delivering the highest cutting performance and long life at an affordable price. This turbo rim diamond blade is optimized for granite cutting. Find out why so many of our customers rely on this fast cutting and reliable turbo blade.

- Grade A diamond crystals for high sawing performance
- Special bond for cutting granite countertop slabs
- 5 in. x 2.0 mm x 7/8 in. arbor
- Available in 4", 4.5", 5", 6" & 7"

ORDER ONLINI



PANTERA

- When you demand nothing short of high quality and long life, look no further than Pantera Turbo Blades.
- Available in 4", 4.5", 5", 6" & 7"

ORDER ONLINE



MILLENNIUM DIAMOND Turbo



Exclusive to Hard Rock Tool with superior performance high quality and long life. Special bond for cutting granite countertop slabs and suitable for both dry and wet use.

- Exclusive to Hard Rock Tool
- High Quality & Long Life
- 5 in. x 2.0 mm x 7/8 in. arbor
- Available in 5"

ORDER ONLINE



Max Xpeed Supreme Turbo

- Everything you demand- Fast, durable and consistant quality.
- MAX TURBO granite blades will set a new standard in turbo blades.
- Available in 4", 4.5", 5", 6" & 7"

TILE BLADES

Hard Porcelain materials are a challenge. Give yourself the advantage with innovative diamond tooling.



DOMINATOR Thin

- Our best selling blade for cutting Porcelain Thin turbo segment for fast cutting and reinforced core flange minimizes chipping
- Available in 4", 4.5", 5", 7", 8" & 10"

ORDER ONLINE



ZENESIS Porcelain



- Newly designed blade has a unique slot and rim, which gives the Zenesis Continuous Rim Blade unparalleled cutting precision and performance.
- Available in 4", 4.5", 5", 7" & 10"

ORDER ONLINE



AGUILA Epic Ultra Thin Porcelain Blade



- Difficult to cut materials like DEKTON® require specialized tools... AGUILA TURBO BLADES is the solution when you need to cut DEKTON® with a turbo blade.
- Available in 4.5" & 5"

ORDER ONLINE



ALPHA Katana Porcelain Blade



- Designed for hard porcelain tile and great for porcelain paver tiles. Hybrid dry saw blade for all tiles and provides minimal chipping
- Available in 4", 4.5", 5" and 6"

GLASS BLADES



ZENESIS Glass Blade

ZENEZIZ

- Zenesis Glass provides chip-free performance
- Provides superior performance on all types & thickness of glass
- Available in 4", 4.5", 7" & 10"

ORDER ONLINE



ALPHA Vetro Glass Blade



- Alpha Vetro Glass Blade provides chip-free cutting
- Fine diamond Matrix is perfect for cutting Onyx
- For plunge cutting and trimming near the edges of glass
- Available in 4" and 10"

ORDER ONLINE



MK Diamond 215GL Glass Blade



- Fine grit sintered diamond blade for smooth chip free cutting
- Premium Grade Metal Bond Blade for cutting glass
- Ideal for production type applications
- Available in 10"

ORDER ONLINE



RUBI Glass Diamond Blade



- For fine, high speed straight cutting of glass materials and glass mosaic
- Specially designed for connection to a 5/8 in. arbor.
- Not suitable for miter cuts
- Available in 7"

3-STEP POLISHING PADS



In today's highly competetive market you need every advantage. Our exclusive line of polishing pads delivers superior results and unsurpassed value.




MILLENNIUM DIAMOND Hybrid



- 3 Step Hybrid
- For Granite, Quartz & Engineered Stone
- WET or DRY
- Encapsulated Diamond Technology





MILLENNIUM DIAMOND Dry



- 3 Step Dry
- For Granite, Quartz & Engineered Stone
- Long life, amazing polish
- DRY use, 5 Layer Technology





STONE PRO Quartz 3 Step Hybrid Polishing Pads

- For Engineered Stone & Quartz
- Long life, amazing polish
- WET or DRY
- Amazing results



STONE PRO Hybrid



- For engineered stone and granite
- Long life, amazing polish
- WET or DRY
- 3 Step with also Postion 0 available

7-STEP POLISHING PADS



STONE PRO Hybrid



- Economical with superior performance
- Extremely flexible
- WET or DRY
- For Granite, Quartz & Engineered Stone



MILLENNIUM DIAMOND Hybrid



- For engineered stone and granite
- Long life
- Amazing polish
- WET or DRY





MILLENNIUM DIAMOND Ceramic




- For Porcelain, Engineered Stone, Quartz and other natural stone materials
- Highest quality gloss finish
- Perfect for curves and rounded edges



STONE PRO Copper+



- Copper bonded diamonds in a resin matrix
- Incredibly aggressive and fast cutting
- 3.2MM Thick
- Available in 3", 4" & 5"



EMPERADOR

- Economical with excellent performance
- Extremely flexible
- Made in Korea



ABACO Black Little Giant

The powerful range of Abaco Little Giant Lifter is very dependable for lifting and moving slab form loads. Integrates a locking latch that automatically releases once the slab is fully lowered to the ground.

- Strong & Secure
- Large Grip Range
- Straight lift
- Swivel Shackle Included

Model	Grip Range	Work Load Limit
ALG50	10mm - 50mm	2860 lbs
ALG75	30mm - 75mm	3300 lbs

ORDER ONLINE



ABACO White Little Giant

It's built compact making it easy to lift the packed slabs out of containers and racks. Just a slight movement of the slab engages and grips the slab without too much effort, thus preventing from hazard to the operator.

- Strong & Secure
- Large Grip Range
- Non-Marking Rubber
- Swivel Shackle Included

Model	Grip Range	Work Load Limit
ALG50	10mm - 50mm	2860 lbs
ALG75	30mm - 75mm	3300 lbs

MACHINES

ORDER ONLINE



ABACO Falcon Lifter Automatic

The Falcon Abaco Lifter is designed to lift and move stone slab. Suitable for both natural and artificial stone in various thickness. Lifter ensures the safety of users and increases productivity.

- Fully automatic opening & closing mechanism
- Rubber pads to prevent scratching
- Also available with white rubber pads

Model	Grip Range	Work Load Limit
ALFL75A	15mm - 75mm	2200 lbs
ALFL75	15mm - 75mm	2200 lbs

ORDER ONLINE



ABACO Bison Lifter Automatic

Abaco Bison Lifter is designed to manipulate large stone slabs for clamping, lifting and moving by combining with a forklift boom and a forklift. The attached Swivel Shackle helps rotating the lifter easily for convenience of moving stone slabs in a workplace with obstacles.

- Three Sturdy rollers
- Prevents chipping, scratching & breaking

Model	Grip Range	Work Load Limit
ABL150	5mm - 150mm	3960 lbs





ABACO Porcelain Lifter

Abaco Porcelain Lifter is specifically designed to lift and move materials which are flat, long, thin, delicate and breakable such as porcelain, glass, ceramics, etc.

- Fully automatic clamping mechanism
- Rubber pads to prevent scratching

Model	Grip Range	Work Load Limit
ALG50	10mm - 50mm	2860 lbs
ALG75	30mm - 75mm	3300 lbs

ORDER ONLINE



ABACO Glass Lifter AGL28

Abaco Glass Lifter is designed for transporting glass sheets safely and securely. Its fully automated jaws clamp on both sides of the glass sheet allow minimal labor requirement. The four lower wheels of the Lifter make easy to transport this lifter on the ground.

- Vulcanized Rubber
- Large Grip Range
- Extra protection

Model	Grip Range	Work Load Limit
ALGL28	4mm - 28mm	1760 lbs
ALGL38	10mm - 38mm	1870 lbs

Size

79x25x39

Work Load Limit

1320 lbs

ORDER ONLINE



ABACO Kitchen Processing Table

Abaco Kitchen Processing Table is designed to make customer's work more efficient. The table top tilts from being flat to various degrees for the user to work more comfortably. It can handle slabs with thickness up to 1 1/2" (38 mm) easily.

Model

KPT8340

- Height can be adjusted
- Easier, collapsible design
- Lasioi, obilapsible accign
- Tilts two angles either 45° or 76°

ORDER ONLINE



ABACO Truck A-Frame

The Abaco Truck A-Frame is constructed with two Standard A-Frame joined by a crossbar which can be extended to an overall length of five feet. It is designed for picking up slabs and moving them from one job site to another.

- Include Timber Blocks
- Strengthening Rib Plate
- Distribute Slabs Equally on Both Sides

Model	Weight	Work Load Limit
TAF060	138.6 lbs	16,500 lbs
ETAF060	99 lbs	13,200 lbs



Weight Limit

198 lbs

Weight Limit

132 lbs



ABACO Double Handed Carry Clamps

Abaco Double Handed Carry Clamps are designed to safely lift and transport stone slab without using a forklift truck. The fully vulcanized rubber pads provide added grip and prevent from damage to the slab.

- Easy to Use
- Eliminate forklift use
- Sufficient clamping force

Model	Grip Range	Work Load Limit
ACC40	0mm - 40mm	550 lbs
ACC60	0mm - 60mm	550 lbs

Cup Diameter

ORDER ONLINE



ABACO Double Suction Cup Lifter

The Double Suction Cup is excellent for use on stone, tile, glass, metal, formica and other surfaces. It can also be used as a "safety" handle for tubs, boats or anywhere to assist in preventing slips or falls.

Model

SLD121

- Quick Suction release
- 13" length diameter
- Clip & tighten to create suction
- Strong Vacuum force

ORDER ONLINE



ABACO Ratchet Seam Setter M1

Seam Setter M1 provides a quick and easy solution for accurate and safe positioning of countertops. The tool is light-weight, portable and convenient. The Knob device allows precision vertical adjustment.

Model

ARSS1

- 8" Diameter Suction Cup
- Lightweight and simple use
- Precise Positioning

ORDER ONLINE



ABACO Ratchet Seam Setter M2

Ratchet seam setters are designed for holding counter tops while they are being adhered together to create level and seamless counter tops. This double rail design comes with two leveling points.

- 8" Diameter Suction Cup
- High Strength Aluminum
- Two leveling Points

ORDER ONLINE

Model	Cup Diameter	Weight Limit
ARSS2	8"	132 lbs

Cup Diameter

8"



Bohle Pump Suction Cup

Veribor Single-Cup Pump-Activated suction lifting tool 8" diameter pad c/w Pressure Guage. The high quality of the Veribor 601BL has been confirmed by the TÜV Rheinland, approving the suction lifter with the "GS" seal of tested safety.

- Pump-Activated Suction Lifter
- Parallel Lifting, Large Gripping
- Made in Germany

Model	Cup Diameter	Work Load Limit
B0 601BL	8"	264 lbs
264	lb. Lifting Capad	city

ORDER ONLIN



WOOD'S 8" Industrial Plastic Vacuum Cup

These specially designed, hand actuated cups operate on a pump system, and create a vacuum under their gripping pad section. The pump plunger had a red band to indicate suction level at all times.

- Fast attch & release
- For Flat smooth surfaces

Model	Cup Diameter	Weight Limit
N4000	8"	125 lbs

ORDER ONLINE



WOOD'S 8" Hybrid Plastic Vacuum Cup

This Hand Cup is ideal for environments with grit and abrasive particles, including stone shops. Quickly attaches to flat surfaces like polished, sealed stone or smooth glass and has a 125 lbs lifting capacity.

- 8" Diameter Suction Cup
- Metal Handle
- Precise Positioning

ORDER ONLINE

N//3000 8" 125 lbs	t	Weight Limit	Cup Diameter	Model
145000 0 125105		125 lbs	8"	N43000



WOOD'S 8" Flat Vacuum Cup / Metal Handle

Fast attachment on smooth, nonporous flat surfaces. Red-line indicator warns user of any vacuum loss. Check valve allows repumping without loss of remaining vacuum. Release valve lever permits quick & complete release.

- 8" Diameter Suction Cup
- Metal Handle
- Fast attach & release

Model	Cup Diameter	Weight Limit
N4950	8"	125 lbs

ADHESIVE PRODUCTS



STONE PRO Ultimate-V Translucent Knife Grade

- Vinyl ester premium adhesion
- Light and translucent color
- Cures fast & polishable
- For laminating, seaming & chip repair
- · Perfect for all natural & engineered stone

ORDER ONLINE

Also available in translucent flowing





STONE PRO Premium Polyester Knife Grade

- Transparent adhesive
- Excellent adhesion
- Fast cure time
- Polishable
- For seaming, laminating & chip repair
- Perfect for all natural stone

ORDER ONLINE



STONE PRO



STONE PRO Standard Polyester Knife Grade

- Transparent adhesive
- Strong fast setting
- Fast cure time
- Very Polishable
- Colors Easily
- Perfect for all natural stone

ORDER ONLINE







STONE PRO Traverfill Pro Adhesive

Traverfill Pro is a premium grade pre-colored adhesive designed to fill and repair travertine.

- Engineered for maximum bonding strength
- Easy to use, for indoor application
- For use on: travertine and limestone
- Available Sizes: Quart





ADHESIVE PRODUCTS



K-BOND Elite Transparent Knife Grade

- Ultra transparent clear formulation
- Stronger than standard polyester stone adhesive
- UV Resistant
- For laminating, seaming & chip repair
- Perfect for all natural & engineered stone







K-BOND Buff Paste Knife Grade Adhesive

- Pre-colored paste consistency polyester adhesive
- · Glossy Buff finish used for polished stone
- Fast Cure
- · Resistant to water and oil
- Good adhesion to natural stone up to 160 degrees F







K-BOND Quick Set Knife Grade Adhesive

- 1:1 ratio, two-part knife grade epoxy system
- Fast setting
- Holds up through intense machining
- · Great for laminations on vertical applications
- · Great for quick and easy applications
- Exterior grade

- Can be polished to high gloss
- Working time 10-15 minutes
- Cure time under 2 hours







K-Bond White Paste Knife Grade Adhesive

- Pre-colored paste consistency polyester adhesive
- Best possible ratio of working time to curing speed
- Glossy white finish used mainly for polished stone
- Good adhesion to natural stone up to 160 degrees F
- Resistant to water and oil
- Fast curing



White Knife Grade



ADHESIVE PRODUCTS



AKEMI Platinum Premium Adhesive

- Epoxyacryalte blended adhesive
- Light in color, 50% Stronger
- UV Resistant, Very fast curing
- For laminating, seaming & chip repair
- Perfect for all natural & engineered stone

ORDER ONLIN



AKEMI AKEPOX 5010 ADHESIVE

- 2-Component 100% epoxy construction adhesive
- For joints indoor and outdooor
- · Ideal for ceramic, porcelain and natural material
- · Great for white and light color

ORDER ONLINE



AKEMI Marmorkitt 1000 Super Acrylic

- Transparent extra liquid
- For strengthening of fissures and for bonding
- For natural and artificial stone
- Low yellowing
- Polishable

ORDER ONLINE



AKEMI HyperClear HYBRID EPOXY

- 2C Premium PUR adhesive
- for stone, quartz, ceramic
- colorless
- non bleeding

ORDER ONLINE

- fast cure
- for indoor and outdoor
- tintable
- free of solvents
- polishable

AKEMI*

AKEMI®

AKEMI®

AKEMI®

SURFACE TREATMENTS




FillaChip Stone Repair System Starter Kit

- Everything you need to fix nicks, chips & gouges
- Kit Includes: 4 Glue Syringes
- 8 Release Sheets
- 1 Polish Syringe
- 10 Tips
- Plastic Carrying Case plus instructions



AKEMI Transformer Enhancer

- Premium protection color intensification
- Fine-ground, Ground, Satinated, Antique, Sawn, Rough sawn, Ground & polished
- Natural stone, Marble and limestone, Granite, Slate



AKEMI Transformer Exotic Enhancer

- Intensify the color of natural stone and quartz
- Match the edge of the stone to the resin treated top.
- Not effected by UV light.
- Provides stain protection for more porous stones
- VOC compliant



AKEMI Rust Remover Paste

• Enables rust and rust stains to be removed effortlessly from acid-resistant natural and artificial stone

AKEMI*





AKEMI

AKEMI*



POWER TOOLS





MAKITA 9564CV 4 1/2" Variable Speed Grinder

- 13 AMP Motor
- Variable Speed Control (2,800-10,500 rpm)
- Great for cutting, coreing & polishing









MAKITA GV7000C Variable Speed Disc Sander

- 7.9 AMP Motor
- Variable Speed Control (2500-4700 rpm)
- Soft start for smooth start ups

ORDER ONLINE



MAKITA 9218SB 7" Disc Sander

- 5.2 AMP Motor
- Delivers 4,000 rpm
- Compact and lightweight (6.3lbs)
- Soft start for smooth start ups

ORDER ONLINE



MAKITA GA7911 Angle Sander (AC/DC)

- Powerful 15 Amp 7in Sander
- Delivers 7,000 rpm
- Enlarged all ball bearing contruction for longer tool life

POWER TOOLS



MAKITA GA7021 7" Angle Grinder

- 15 amp motor & delivers 6,600 rpm for fast stock removal
- 7" grinding wheel included
- Tool-less wheel guard for quick and easy adjustments

ORDER ONLINE



Trakita.



MAKITA 4101RH 5" Wet Masonry Saw

- 7.9 amp & delivers 13,800 rpm
- Cuts up to 1 5/8" at 90° & 1" at 45°
- For wet cutting of masonry, tile & concrete

ORDER ONLINE



ALPHA Ecocutter Dry Cutter

- Virtually Dust-Free
- Accurate cutting performance
- Built-In Breaker Assembly

ORDER ONLINE





- Powerful motor
- Water feed supply
- Dust cover for HEPA Vacuum



AIR TOOLS



TOUEI WS-6 Air Water Polisher

- Spindel lock button
- 5,000rpm without load
- 90 PSI
- Made in Japan

ORDER ONLINE



ALPHA PSG-125 Pneumatic Grinder

- Compact Ergonomic Aluminum Body
- Powerful 1.4 HP Motor with Speed Control Govenor
- Two Auxiliary Handle Positions

ORDER ONLINE



ALPHA AIR-680 Pneumatic Polisher

- 4,000rpm without load
- Lightweight & Ergonomically Designed
- Consumes 15 CFM & requires 85 PSI

ORDER ONLINE



ALPHA Pneumatic Stone Cutter PSC-150

- 2HP Pneumatic Power
- Capable of Miter Cutting
- Can be used wet or dry

ORDER ONLINE



ALPHA

ALPHR



ALPHA EcoGuard Type G Dust Collection Sytem



- Designed for collecting dust when using a high speed grinder
- Removable cover allows grinding to the edge
- Removes more than 90% of the dust
- Must be used with a vacuum

ORDER ONLINE



ALPHA EcoGuard Type C Hybrid Dust Collection Cover



- Designed for collecting dust with a high speed grinder
- Accepts up to 5" diameter blades
- Can be used with or without a vacuum
- Removes more than 90% of the dust

ORDER ONLINE



MK Diamond MK-IXL 7" Vacuum Shroud

- Engineered to control dust during grinding
- Snail shape design effeciently channels dust particles
- Provides better visibility& increase productivity
- Designed to fit most popular 7" & 9" grinders

ORDER ONLINE



MK Diamond 5" Dust Swing Shroud with Hinge

- For all grinding and polishing operations
- Increases cup wheel life by removing abrasive dust
- MK Diamond Products Inc.
- Designed for use when cleaning, leveling spots, removing epoxies, urethanes, paint and other coatings
- Fits popular 4" and 5" hand grinders
- Easily attaches to a HEPA vacuum or dust extractor system to reduce harmful airborne dust



GVS ELIPSE P100 Mask Respirator

- Approved to NIOSH Standard
- Twin filter ready to wear half mask
- Latex & Silicone free
- Lightweight
- Available sizes: Medium & Large



ORDER ONLINE

GVS Elipse P100 Replacement Respirator Cartridges

- Protects from dust, metal fumes, oil and water mists, microorganisms and viruses
- 99.97% minimum filter efficiency
- Constructed with activated carbon, HESPA synthetic media with a TPE over-mould, and an ABS shell



- For use with Elipse Half Face Respirators P100
- 1 pair

ORDER ONLINI





Gateway Safety GloPlugz® Corded 100ct

Soft, comfortable, disposable earplugs, GloPlugz offer serious protection at an affordable price.

- Extremely smooth, tapered design allows for incredibly easy insertion
- Non-allergenic polyurethane formula is extraordinarily soft and comfortable
- Glossy purple cord makes compliance checks easy and keeps earplugs close at hand. Independently tested to a 31 Noise Reduction Rating—one of the highest earplug NRR ratings available.

ORDER ONLINE



Elvex Blue Foam Earplugs

Offers a high level of comfort, excellent noise reduction properties, easy insertion due to a tapered shape and moderately slow expansion rate, plus a high level of hygiene.

- Pairs are packaged in a polyethylene bag.
- Without Cord
- Box of 100



Elvex Go Specs Safety Glasses

The EVA closed cell foam assists in preventing eye irritation from dust, dirt, sand, cement, chemicals and more.

- Anti-fog SuperCoat coating
- High velocity impact resistant 4x than ANSI Test Standard
- Soft and flexible foam seal
- Angle adjustable temples
- 100% UV protection

ORDER ONLINE



Elvex TTS Safety Glasses

The Elvex TTS offers a close fit and excellent protection for an economical pair of safety glasses.

- Hard coated polycarbonate lens
- Universal nose bridge and temple tips
- 100% UV protection

ORDER ONLINE



Gateway Safety StarLite Safety Glasses

The original, industry-leading design in safety eyewear, combining stylish protective eyewear with all-around impact protection.

- Incredibly lightweight, weighing less than one ounce
- Deep, universal-fit temples provide side protection equal to that of large side shields
- 100% UV protection



DeltaPlus Disposable Respirator Dust Mask M1200

- FFP2 moulded, disposable half mask made of non-woven synthetic fiber
- Protects against moderately toxic liquids and solid particles
- Can be used in concentrations up to 10 x OEL.
- Protection Factor: 12.5
- 20 pieces per box

ORDER ONLINE



DeltaPlus Disposable Respirator Dust Mask with Exhalation Valve M1200V

DeltaPlus M1200V is a high quality N95/FFP2 disposable respirator mask with exhalation valve, dual self-adjusting straps, metal nose clip, and nose pad, for increased comfort.

- Molded, non-woven synthetic fiber disposable respirator mask
- High efficiency exhalation valve
- 10 Pieces per box

ORDER ONLINE



Gateway Safety Particulate Unvented Respirator

- Large, contoured design makes breathing easy, reducing worker fatigue
- Molded nose bridge, with non metal nosepiece not pinching required
- Adjustable, one-piece cloth head strap with added comfort and durability
- Niosh approved N95 level protection
- 95 percent filtration against particulate aerosols free of oils below the PEL

ORDER ONLINE



Gateway Safety Particulate Vented Respirator

- Large, Contoured Design Makes Breathing Easy, Reducing Worker Fatigue
- Molded Nose Bridge, With No Metal Nosepiece No Pinching Required
- Adjustable One-Piece Cloth Head Strap
- NIOSH Approved N95 Level Protection
- 10/Box



Alpha Ecoguard Type CD

- Wet/dry cover for drilling and core drilling applications
- Fits most vacuum dust hoses
- Contains dust and water when drilling with up to a 2-1/2 bit
- Can be secured on horizontal and vertical surfaces with vacuum during application
- Cost-effective dust removal solution
- Prevents splashing when used with water

ORDER ONLIN



Treds Over the Shoe Slush Boots

Deemed by users as the very "best construction boots" on the market, TREDS 17" makes your jobs easier by being extremely light weight and true to size fit over leather work boots. Made out of 100% natural rubber, TREDS material cross-links, so that if you do get a puncture/tear, the rip won't continue to run.

- Sizes: M (7.5-8.5), M/L (9-10), L (10.5-11.5), L/XL (12-13), XL (14-16), XXL (17+)
- Great height for: concrete pouring/finishing, trench work, landscaping and farming

ORDER ONLINE



Alpha Multi-Purpose Waterproof Apron Long-Sleeved

- One size fits all, 55"L x 58"W
- D900 oxford / pu coated material makes it waterproof for wet or dry environments
- Protects from dust, water and other chemicals such as polishing slurry
- Rubber cuffs which provide full coverage







ABACO Stone Saw MODS1

- 3HP motor and guided by dual linear bearings on induction hardened chrome bar (avoid rusting)
- Ideal for construction sites as well as workshops
- Bolted down casted aluminum working tables
- Electric drive submersible water pump
- Wheels and rollers for effortless single-handed transport





ABACO Stone Saw MODS2

- Ideal for construction sites and workshops
- Roller conveyor makes for easy loading
- Adjustable stops make exact parallel cuts
- Electric direct drive fully submersible water pump
- Includes 2 side benches with rollers and 2 support arms with stops
- Wheels and rollers for easy transportation





ABACO Tile Saw TS1

- Casted aluminum working table guided by dual linear bearings on induction hardened chrome bars (avoid rusting)
- Cuts accurately every time with angle ranges from 45-90 degrees
- Submersible water pump provides high output coolant for maximum protection to the diamond blades
- Specially designed table that supports larger size tiles
- Wheels for easy transportation









OMEGA Blue Ripper Sr. Rail Saw

Cuts through 4cm thick stone. Simple and strong, the blade cuts next to rail so setting up is fast and easy. No gauge, shims, or offset measurements are needed. The reduced weight also minimizes risk of cracking narrow or thin pieces of material.

- Up to 10 FPM cut speed
- 1730 RPM Air Cooled Induction Motor (2hp & 3hp models)
- 3450 RPM Custom Water-Cooled Induction Motor (5hp model)
- Fits blades up to 14-1/2 inch (368mm) in diameter






OMEGA Blue Ripper Jr. Rail Saw

This powerful, light-weight, portable rail saw cuts granite countertops with speed, accuracy and quality. The Blue Ripper Jr. Rail Saw makes full plunge cuts up to 4 cm in depth. Using the rail system there is no need for gauges, shims, or offset measurements.

- Up to 4 FPM cut speed (single pass through 2cm absolute black)
- full plunge cuts up to 4cm deep
- Accepts up to 8" blades
- Standard 5/8" blade Arbor





OMEGA Blue Ripper Miter Master Rail Saw

Create a perfectly mitered edge by cutting both 45 degree angles simultaneously. This is the easiest, simplest way to create a perfect miter. This saw is ideal for mitering standard stone slabs, prefabs, or large format porcelain tile slabs.

- Cuts both 45 degree angles simultaneously
- Full plunge through 3cm
- Accepts up to 6" blades
- 7/8" Arbor



TILE SAWS





RUBI DC250 (1200) Bridge Saw Machine



- 48" Rail Saw
- Tilting Cutting head for 45° cuts
- Zero Dust System
- Blade Cooling with controllable waterpump

ORDER ONLINE

HUSQVARNA TS 70 Tile Saw Machine



- Perfect for large and small tile
- Tilting Cutting can make 225° & 45° cuts
- Blade max diameter 10 in
- Max Cutting length 28.35 in

ORDER ONLINE

CORTAG ZAPP-600 Electric Wet Saw



- Robust equipment with reinforced motor indicated to cut ceramic tiles, stones, marble, granite and paver
- Reinforced aluminum frame
- Diamond cutting blade with cooling system
- Retractable stand with wheels for easy transport
- Sliding table with angle adjustment: 0 to 45 ° right and left
- Head with Angle adjustment: 0 22,5° and 45°



TILE CUTTERS





RUBI TZ Tile Cutter

TZ manual cutters are a new concept in the manual cutting of ceramics, with a separation capacity never seen before on the market and with innovative constructive solutions.

- Large cutting capacity up to 21mm
- Robust & foldable structure
- Easy transport
- Powerful separator (up to 3,300 lbs.)

ORDER ONLINE



RUBI TX-900 36 5/8" Tile Cutter

The RUBI TX-N tile cutters are ideal for intensive cutting of ceramic tiles, especially for cutting porcelain (Bla type) and extruded (Al type) tiles.

- Cutting length 36 5/8"
- Quick clamping system for the square
- For large format tiles
- Seperator power (2,205 lbs)

ORDER ONLINE



RUBI TX-700 28" Tile Cutter

The RUBI TX-N has biomaterial handles on the TX-N tile cutters, with an impeccable ergonomic design, give the user greater comfort while working.

- Cutting length 28"
- Quick clamping system for the square
- Swivel bracket with central pivot
- Seperator power (2205 lbs)

ORDER ONLINE



RUBI TR-600 MAGNET 23.6" Tile Cutter

The TR-MAGNET tile cutters allow for intensive cutting of ceramic tiles, especially when we refer to BIII type and stoneware tiles of BIIa type, but they also offer us optimum performance in the frequent cutting of porcelain tiles with thicknesses of less than 9/16".

- Cutting length 23.6"
- High breaking power
- Base supplement for large tile format
- Seperator power (1764 lbs)





RUBI Slim System Tile Cutter

The slim system cutter tile cutter is a tile cutter specially designed for porcelain tiles on the market of up to 9.84 Ft by 3.94 Ft and between 1/8 - 3/8 in. thick.

- Designed for porcelain tiles
- Aluminium guides
- Progressive sepration of the material
- Cutting capacity if 122 in

ORDER ONLINE



RUBI Slab Table Workbench

Workbench for cutting and handling large-format ceramic sheets using the tools of the Slab System range. The extra reinforced aluminum bars give the SLAB TABLE a high rigidity and great stability with a maximum load capacity of up to 550 lbs (250kg).

- Easy to set up
- Anodized aluminum guarantees sturdiness
- Adjustable legs with rubber feet
- Foldable for easy transport



RUBI Slim Easytrans Transport System

The SLIM SYSTEM EASYTRANS transport system is specially designed for handling large format, thin porcelain tiles up to 126 in. long.

- Designed for handling large format
- Includes two extendable & adjustable guides
- For sheets up to 9.8 ft
- Maximum load: (132.2 lbs)

ORDER ONLINE





RUBI Delta Leveling System

Save time in installing large format tiles, particularly in rectified porcelain tiles, as well as to ensure perfect installation and leveling with any material and dimensions. Prevents the movement of the tiles during the setting of the adhesive and, during installation, the number of corrections in the position of the ceramic tile itself is reduced.

- Kit consist of 1 pliers, 100 strips and 100 reusable wedges
- 6 positions height adjustment according to the thickness
- 3mm strip for tiles 1/4" to 19/32"





RUBI TC-125 5" Circular Saw Kit



The TC-125 kit is part of the SLAB system for porcelain slabs and large format tiles and includes all the elements necessary for cutting.

- Circular cutter TC-125.
- 3 slim cutter guides of 110 cm
- 2 fixing suction cups for rough surfaces (RM)
- 1 TCR-125 diamond disc for dry cutting (compatible with wet cutting) of porcelain stoneware (TCR not suitable for 45° cutting)
- 2 clamps for additional fixing of the SLIM guide



RUBI SLAB TRANS Heavy Duty

The slab trans heavy duty conveyor is specially designed for the handling of ceramic sheets and large format tiles up to 320 cm long and can be used as a complement to the slim cutter and tc-125 cutting systems.

- 6 vacuum cups for any type surface
- Equipped with a set of perpendicular crossbars
- Two retractable perpendicular aluminum guides



RUBI Slab Trolley Transport

Transport and maneuvering system for large-format sheets. Especially indicated for the handling of tiles with thickness from 6mm. Rubi Slab Trolley, incorporates an extendable arm to faciliate the maneuver of loading and unloading of the large format sheets to the work table.



- Easy fix joining system making assembly fast and easy
- Light, compact and reinforced aluminum
- 360o rotating wheels with stop and fix braking
- Rubber bumpers



RUBI Slim Separator

The slim separator is the perfect complement for the cutting of ceramic sheets with slim cutter when the sheet thicknesses are equal to or greater than 8 mm. in addition to its main use (ceramic sheet cutting), the slim separator can also be used as auxiliary separator in large format tiles.

- Separate thickness of 8mm or more
- Auxilary breaker for the cut of slim porcelain slabs or large tiles





RAIMONDI Easy-Move Vacuum Frame

- Lightweight & easy to transport large slabs
- Two pairs, Aluminum profile
- Equipped with "vacuum" pump suction cups
- Maximum slab length 10.5'
- Available with crossbars or without

ORDER ONLINE



RAIMONDI BM180 MKII Modular Working Bench

- Ideal for cutting & processing large format slabs.
- Can combined more than one
- Folding legs for easy transport
- Maximum load 331lbs.

ORDER ONLINE



RAIMONDI Raizor Cutting System

- Cutting system for large format tiles up to 10.9 ft
- Guides made of sturdy aluminum
- Two connectable guides, length 5.2 ft
- Suction cups handles perform a 180° movement

ORDER ONLINE





RAIMONDI Tip Top Face-Up Miter Clamping

- Designed for stairs & countertops
- Allows the user to see the corner
- No tile length limit, makes it perfect for large format tiles
- Suitable for corner bonding







- Designed to vibrate surface of large format
- Helps air out any air pockets
- Stain-free rubber plate
- Does not damage, prevents stain & damage
- Motor power: 25 watt

ORDER ONLINE



RAIMONDI Closer Tile Aligner Device

- Designed to bring & adjust the slab properly
- Each suction entities grip onto a different tile
- Device to accost slabs, which acting mechanically makes this task easier

ORDER ONLINE



RAIMONDI Fido Tile Support


- Particularly useful for laying large format tiles
- Comfortable, stable & safe support during operation
- Ergonomic design distributes the weight of the body in an optimum manner relieving fatigue

ORDER ONLINE



RAIMONDI Tile Hand Tile Beater

- To eliminate the air that can remain below the slab
- Rubber bottom
- No stain or damage



MACHINES



Rhino RL500 Grinder

The award winning Rhino RL500 concrete grinding machine was specifically designed to be compact while having the power & performance to keep up with bigger machines on the market today.

With each pass the RL500's counter rotating heads double cut & cross cut, cutting your job time in half and eliminating track marks common to other concrete grinders. The Rhino is truly 100% trackless!

- Dual vacuum manifolds for efficient dust control
- Runs in forward or reverse
- Counter rotating heads (double cut and cross cut with each pass)
- Wet or dry grinding
- Extremely durable floating UHMW dust skirt
- Accepts standard trapezoid tooling as well as Rhino Style
- Grinds as close as 1/8" to the edge
- Extremely Heavy Removal: 500-850 sq./ft per hour.
- Heavy Removal 600-1050 sq./ft per hour.
- Light Removal 900-1300 sq./ft per hour.
- Grinding & Profiling 800-1450 sq./ft per hour.
- Polishing 1200-1800 sq./ft per hour





Rhino RS150 Grinder

Weighing in at 150LBS with a 14" footprint, the RS150 has all the same features as the award winning RL500.

This 100% trackless machine was designed with six counter rotating heads which double cut & cross cut with each pass – which ultimately cuts the number of passes in half when compared to planetary grinders.

- Dual vacuum manifolds for efficient dust control
- Grinds as close as 1/82 to the edge
- Counter rotating heads (double cut and cross cut with each pass)
- Wet or dry grinding
- Extremely durable floating UHMW dust skirt
- Uses Rhino style tooling
- Extremely Heavy Removal: 100-150 sq./ft per hour.
- Heavy Removal 200-300 sq./ft per hour.
- Light Removal 250-400 sq./ft per hour.
- Grinding & Profiling 300-450 sq./ft per hour.
- Polishing 400-650 sq./ft per hour



MACHINES



Husqvarna PG450 18" Floor Grinder & Polisher

PG 450 is a versatile and user-friendly planetary floor grinder. Perfect for a wide range of applications, e.g. coating removal, concrete grinding and concrete polishing. It is also suitable to use to make Husqvarna HiPERFLOOR®. With its 18 in. grinding width it is excellent for both small hard to get to areas, as well as larger surfaces. It is ideal for rental and both professional and semi-professional applications due to its many self-adjusting benefits. 1-phase means it is suitable for industrial and domestic applications. It can easily be folded and divided without tools for transport and storage.

ORDER ONLINE



Husqvarna PG280 11" Floor Grinder

PG 280 is a single disc floor grinder that you can quickly convert for edge grinding on both sides. It efficiently grinds adhesives, paint, epoxy and spackle. With a grinding width of 11 in. it is suitable for small to medium concrete areas. It is available in both 1-phase and 3-phase versions. Designed to facilitate an ergonomic work position, it is easy and convenient to use. The machine is light and compact and therefore easy to transport and set-up.

ORDER ONLINE



Newgrind RX7 Hand Grinder & Polisher

This impressive three headed hand grinder attachment is ideal for floors, countertops, stairs, ledges and walls. The RX7 is uniquely shaped for those hard to reach spaces, so versatile it can be used on concrete, stone, terrazzo and even hardwood. Weighing only seven pounds the RX7 is lightweight and agile and uses any standard 4" Velcro backed tool. Perfect for those hard to reach tight corners, the adjustable dust skirt allows you to get right up to the wall for detailed edging.

INDUSTRIAL VACUUMS



Pulse-Bac 1050 HEPA Vacuum w/ Auto Filter Cleaning

The 1050H model vacuum is EPA RRP compliant and can be used in the clean up and control of fugitive dust when working with materials like Lead Paint, Asbestos and Silica. Pulse-Bac® Automatic Self-Cleaning Technology keeps filters clean and suction consistent. This revolutionary technology maintains peak performance with no blowers, shakers, compressors or buttons to push. With a Pulse-Bac® the only action needed is to turn it on and go to work, physics takes care of the rest. This lets you capture more dust in an easier, more efficient and more profitable way. Great For:

- Floor Grinders
- Hand Grinders
- Floor Sanders
- Job-site Table Saws & Track Saws
- Chop & Miter Saws
- Random Orbit Sanders
- Routers
- Job-site & Shop Cleanup

ORDER ONLINE



Pulse-Bac 1250 Dust Collector Bagger Package

Industrial grade vacuum designed to collect, capture and control dust and debris generated by surface preparation equipment and manufacturing machinery. Our revolutionary design in vacuum filtration automatically flushes the filters clear while you work, using only ambient air and vacuum. This patented technology stops the filters from facing with dust or debris and clogging during operation. Maintain peak performance with no blowers, shakers, compressors or buttons to push.

The 1250 model comes standard with Pulse-Bac® Technology, our Cyclonic Debris Management system, a 20 gal. powder coated steel tank, HEPA H-13 filters, and a 5 caster steel dolly with non-marking casters. An optional tank capacity sensor and three options for collecting debris are also available.

ORDER ONLINE



Pulse-Bac 550 HEPA Vacuum Lift Quick Package

The 550H provides Dual Stage HEPA filtration. It features the 5 Point HEPA Filter and an additional exhaust side HEPA filter. Both the 5 Point Filter and the exhaust side filter are individually tested to meet the 99.97% @ 0.3 microns standard required by most regulations and recommended when working with many materials.

- Pulse-Bac Self-Cleaning Technology
- Durable Steel Construction
- 1.5" Locking Inlet

- Multiple Mobility Options
- 5 Point HEPA Filter(s)
- Optional Auto Tool Start

FAST CHANGE METAL BONDS



1 Segment Fast Change Metal Diamonds

Fast Change Diamonds are designed for use on grinders that have been modified with fast-change diamonds are designed for aggressive grinding applications.

• Grits: 16/20, 30/40, 60/80

ORDER ONLINE



2 Segment Fast Change Metal Diamonds

Fast Change Diamonds are designed for use on grinders that have been modified with fast-change diamonds are designed for aggressive grinding applications.

• Grits: 18/20, 30/40, 60/80, 120

ORDER ONLINE




2 Segment Fast Change PCD Diamond Tooling

The PCD is designed with an aggressive diamond segment that acts as a stabilizer and depth guide. It aggressively scrapes the thickest of coatings, and then follows with a conventional grind—all in one pass.

- Designed for medium to heavy coating removal
- Fits Redi Lock plates
- Available in either left or right spinning versions

ORDER ONLINE



1 Bar Trapezoid Fast Change PCD Metal Diamonds

PCD Trapezoid 1 Bar Diamonds are designed for fast change floor grinding machines. Ideal for removal of epoxy, paint, glue, mastics and coatings. Soft bond #18-20, 30/40, #60/80, #120/150 and Medium bond #30/40, #60/80, #120/150

- Available left-counterclockwise or right-clockwise
- Use wet or dry
- Fits fast-change floor grinding machines

CONCRETE DIAMOND PADS



SmartKrete 3" Conquer Premium Resin Polishing Pads

Conquer Premium Resin Bond Polishing Pads. For Dry Polishing of concrete and cement bases terrazzo floors. 9mm segment height offers long durability.

- 18 Segment Cup Wheel
- Grits: 30, 50, 100, 200, 400, 800, 1800, 3500

ORDER ONLINE



Semi-Metal Terrazzo 3" Concrete Polishing Pads

- Used after the metal bond grinding tools to remove their scratch pattern, followed by the resin tools
- Premium grade for extra durability and long life under the heaviest machines
- Very aggressive and great for transitioning between the metal and resin steps
- For concrete, terrazzo, marble and granite
- Grits: 30, 50, 100, 200, 400
- Wet Use

ORDER ONLINE



SmartKrete Transitional Semi Metal 3"

Transitional Semi-Metal hybrid diamonds are desgined for use between metal and resin polishing pads. Semi-Metal Hybrid diamonds are velcro backed and must be used wet.

• Grits: 30, 50, 100, 200, 400

ORDER ONLINE



SmartKrete 3" Pads 3mm

SmartKrete 3mm Concrete Diamond Polishing Pads are an excellent solution for the removal of scratches left behind by the metal bond grinding steps. They are 3" hook and loop-backed, and can be used on any floor grinder, using hook and loop-back.

- Grits: 30, 50, 100, 200, 400, 800, 1500, 3000
- 3mm thickness
- Wet Use

CONCRETE DIAMOND PADS



1500

SmartKrete Elite Concrete Pads

These pads can be used as the final steps in a polishing process to give an even higher level of shine that was not achieved by normal polishing with high grit resin diamonds. They can be integrated into normal floor cleaning / maintenance systems to keep a nice shine on polished concrete and terrazzo floors.

Available sizes: 20" & 27"Grits: 1500, 3000, Buff

ORDER ONLINE



STONE PRO Premium M-Series Diamond Impregnated Pads

Easy to use 4-step process (HONE, M1, M2 and M3) for polishing and maintaining marble and travertine floors. High concentration of quality diamonds enables pads to renew the shine on marble and travertine floors where other pads fail.

• Available sizes: 7" 17" & 27"

• Grits: M1-800, M2-1500, M3-3000

ORDER ONLINE



SmartKrete DRS 7" Hybrid Rings and Dot Pads

Rubber dot technology last longer and cut faster with even better refinement. These wedge-shaped dots put more diamonds on the outer perimeter of the pad, improving both cutting speed and edge refinement. Wider, directional water channels increase water flow, effectively flushing slurry away from the cutting surface, improving both life and refinement while at the same time reducing slurry clogging and cleanup time. Improved, proprietary, 2nd generation resin dot formulations are available ONLY through Superior Surface Solutions.

• Grits: 50, 100, 200, 400, 800

ORDER ONLINE



STONE PRO Semi-Metallic Rings

The most aggressive semi-metal grinding tool for swing machines, burnishers, and scrubbers. Ideal for aggressive grinding on concrete, terrazzo, and stone. Copper bond ensure aggressive and long life.

• Grits: 30, 50, 100, 200, 400

GRINDING CUPS



7" Arrow Segment Diamond Grinding Cup Wheel 5/8"-11 Arbor

This grinding cup wheel is perfect in construction for concrete surface preparation and tilt wall finishing at a fast removal rate. Great for removing of glues and adhesives as well. This is also great for fast grinding and rough deburring. This cup wheel is ideal for fast stock removal of concrete, stone and masonry, with very low dust. An excellent choice for finer finish grinding.

ORDER ONLINE



Concrete Cup Wheels Fan Style Segments

Cup Wheels are used for grinding, leveling, shaping, debris removal, and polishing of concrete and stone surfaces. The placement, pattern, and shaped configuration of the diamond segments on a cup wheel depend on the task at hand.

- 18 Segment Cup Wheel
- 12 Segment Cup Wheel
- 24 Segment Cup Wheel

ORDER ONLINE



Tornado Non-Threaded Grinding Cup Wheels

Tornado Non-Threaded Grinding Cup Wheel Supreme compliments the polishing process. From countertops to edge work, the Tornado cup wheel compliments the first 2 to 3 steps in the polishing process. With an 18 seg configuration, available in 3 grit sizes, it can give the freedom of an aggressive grind while still delivering a smooth finish. Twister cups have a flat core allowing more area to long segments. This helps reduce the risk of gouging the floor and circle marks that are often associated with cup wheels.

ORDER ONLINE



PCD-Polycrystalline Diamond Cup Wheels

Good for removal of thick coatings, epoxy, urethane & other membranes with no loading up. For best results, use to remove the bulk of thick coatings without continued contact with concrete.

- For use on Hand-Held Grinders
- More aggressive than the 8 segment double row
- Quarter round segments for fast production and long life

GRINDING CUPS





SmartKrete Smart Edge Ceramic Cup Wheels 3mm

Ceramic bonding grinding wheels for polishing concrete and smoothing scratch patterns, particularly around corners and edges. Very effective at removing scratch marks left by metal bond grinding wheels.

- Arbor size: 5/8"-11
- Available grits: 30, 50, 100, 200 and 400
- Grinding Method: Wet or Dry
- Available sizes: 5" & 7"

ORDER ONLINE



SmartKrete Smart Edge Ceramic Cup Wheels 5mm

Exclusive 5mm thick, double segmented ceramic transition cup wheels. Get edge work done faster and last 2x longer. Ceramic bonding grinding wheels for polishing concrete and smoothing scratch patterns, particularly around corners and edges. Very effective at removing scratch marks left by metal bond grinding wheels.

- Arbor size: 5/8"-11
- Available grits: 30, 50, 100, 200 and 400
- Grinding Method: Wet or Dry
- Available sizes: 5" & 7"

ORDER ONLINE



Concrete Transitional Cup Wheels

Ceramic bonding grinding wheels for polishing concrete and smoothing scratch patterns, particularly around corners and edges. Ceramic bond grinding is very effective at removing scratch marks left by metal bond grinding wheels.

- Blends well with the floors
- Eliminates gouging
- One tool for hard and soft concrete
- Aggressive grind with superb finish

SMARTKRETE PRODCUTS





SmartKrete Smartguard SP Stain Protector Guard

SMARTGUARD SP is an acrylic and lithium formulation that improves the surface sheen and stain resistance of conventional concrete, hardened concrete, and cement terrazzo floors. Surfaces treated with SMARTGUARD SP resist damage from water, acid and surface abrasion. Ideal for application to standard grey or colored concrete, SMARTGUARD SP protects and enhances the color intensity on natural concrete, integrally colored concrete and color stained concrete. SMARTGUARD SP provides a long lasting, high gloss finish that maximizes light reflectance and stain protection.

• Sizes: Gallon, 5 Gallon, 55 Gallon Drum

ORDER ONLINE



SmartKrete Lithium Concrete Densifier L

Lithium based densifier dramatically increases surface hardness, polish quality and reflectivity. Improves abrasion and stain resistance. UV Stable for indoor/outdoor use. Our formulation contains a higher percentage of lithium which provides increased surface hardness and reflectivity.

• Sizes: 1 Gallon, 5 Gallon

ORDER ONLINE



SmartKrete Lithium Premium Concrete Densifier XL

Lithium based densifier dramatically increases surface hardness, polish quality and reflectivity. Improves abrasion and stain resistance. UV Stable for indoor/outdoor use. Our formulation contains a higher percentage of lithium which provides increased surface hardness and reflectivity while reducing dusting and improving abrasion and stain resistance.

• Sizes: Gallon, 5 Gallon, 55 Gallon Drum

SMARTKRETE PRODCUTS





Smartklean L Lithium Fortified Daily Cleaner Concentrate

Smartklean L is a concentrated cleaner specially designed to maintain concrete floors that have been treated with lithium-silicate densifying/hardening products. Concentrated formula is designed for use with automatic floor scrubbers. The specialized blend of degreasers and detergents removes most common soiling found on concrete floors.

• Sizes: 1 Gallon, 5 Gallon

ORDER ONLINE



SmartKrete Polish Pro CT Spray Buff 32 ounce

- Smartkrete Polish Pro CT Spray Buff 32 ounce. One-Step Spray Buff.
- Easy to use spray polish for concrete and terrazzo
- Increases shine, reflectivity on surface making it scuff and abrasion resistant
- Can be used with low-speed or high-speed burnishers
- Polish 600 1200 sq. ft. per hour

ORDER ONLINE



SmartKrete SmartSeal SB Concrete Sealer

SmartSeal SB – provides effective water and oil repellency on most substrates with VOC levels low enough to be used in ALL 50 states – no exceptions. This NANO sealer permits maximum penetration at coverage rates higher than that of conventional silanes.

- Penetrating solvent-based impregnating sealer
- VOC Compliant in all 50 states
- Repels water and oil
- High coverage rate

- Resists oil and food stains
- Does not form a surface film or gloss
- Long-lasting protection
- Sizes: 1 Gallon, 5 Gallon





Chapin 1 Gallon Acid Stain Sprayer

The Chapin Acid Staining Sprayer is specifically designed and equipped to handle the corrosive chemicals associated with acid staining. The 1-gallon translucent poly tank comes with a wide 4-inch mouth opening for easy filling and cleaning. Adjustable poly cone nozzle sprays coarse stream to a fine mist. Featuring acid and chemical resistant seals and gaskets, pressure relief valve and shut off with lock-off feature to prevent accidental discharge.

ORDER ONLINE



Chapin 2 Gallon No Drip Acid Staining Sprayer

The Chapin Dripless Acid Staining Sprayer is specifically designed and equipped to handle the corrosive chemicals associated with acid staining. The 2-gallon translucent poly tank comes with a wide 4-inch mouth opening for easy filling and cleaning. Boasting a professional dripless shutoff with Comfort Grip Lock-off feature to prevent accidental discharge. An adjustable poly cone nozzle sprays a coarse stream to a fine mist. Featuring acid and chemical resistant seals and gaskets, an in-tank anti-clog filter and pressure relief valve.

ORDER ONLINE



Chapin 4 Gal. Professional Diaphragm Pump Backpack Sprayer

- 4 Gal. translucent tank with 4 in. W mouth opening for easy filling and cleaning
- Diaphragm pump provides compatibility with common fertilizers, weed killers and pesticides in both liquid and wet table powder form
- 3-stage filtration system with in-tank removable/cleanable filter
- Cushion grip poly shut-off with 3 nozzles for a variety of applications
- Padded shoulder straps and lumbar support for comfort





Chapin 48oz. Industrial Heavy Duty Cleaner / Degreaser Sprayer

Designed for industrial strength cleaners and degreasers, this sprayer features a 48 oz. poly bottle with ergonomic handle. It has chemical-resistant seals and gaskets and an adjustable poly and brass cone nozzle allowing a range of spraying, from fine mist to a coarse stream.

- 48 oz. translucent poly bottle with wide mouth opening for easy filling and cleaning
- Compatible with most industrial chemicals, suitable for homeowners too
- Adjustable cone nozzle and shut-off
- In-tank anti-clog filter
- Ergonomic handle for comfortable spraying

ORDER ONLIN



Chapin Industrial Acetone Sprayer

The Chapin Acetone Sprayer is specifically designed and equipped for the decorative concrete professional for use in staining with acetone-based dyes and other acetone only applications. The 48-ounce translucent poly tank has an in-tank anti-clog filter. Adjustable cone nozzle. Featuring acetone resistant seals and gaskets that will stand up to high concentrations of acetone. Great for smaller areas and detail work.

ORDER ONLINE



Chapin 2 Gallon Industrial Acetone Sprayer

The Chapin Acetone Sprayer line is specifically designed and equipped for the decorative concrete professional for use in staining with acetone-based dyes and other acetone only applications. The 2-gallon translucent poly tank has a funnel mouth opening with splash guard and in-tank anti-clog filter. Adjustable ceramic tip cone nozzle. Featuring acetone resistant seals, gaskets and hose that will stand up to high concentrations of acetone.



SEALERS (SOLVENT BASED)





STONE PRO Ultimate Pro Impregnating NanoSealer

The best impregnating sealer for granite and dense stone.

- This deep penetrating **solvent based** sealer offers the highest level of protection against stains from oil and water.
- The most advanced technology available for stain protection
- Non-flammable and safe for food preparation surfaces







STONE PRO Porous Pro Impregnating NanoSealer

The best **solvent based** impregnating sealer for porous materials such as travertine, limestone and marble. Porous Pro has a larger molecular structure that allows it to protect hard to seal porous surfaces with ease.

- Superior protection from staining
- Non-flammable and safe for food preparation surfaces

ORDER ONLINE





STONE PRO Pro Sealer Impregnating NanoSealer

An all purpose solvent based impregnating sealer for marble, granite, travertine, tile and grout.

- Superior stain protection against oil and waterborne stains
- Non-Flammable and safe for food preparation surfaces

SEALERS (WATER BASED)



STONE PRO Aqua Pro

Premium protection for projects that require a **water based** sealer. Offers all the benefits of our ADVANCED FLUOROPOLYMER PROTECTANT in a water based formula. Protects against water and oil based staining. NON-FLAMMABLE and safe for food preparation surfaces.

ORDER ONLINE



STONE PRO Safeguard H20

General use water based sealer for TILE, GROUT, BRICK and CONCRETE. Excellent water repellant for interior and exterior surfaces. StonePro's most economic sealer.

ORDER ONLINE



STONE PRO Color Enhancer

Wet-Look penetrating sealer for UN-POLISHED TRAVERTINE, SLATE, BRICK, LANDSCAPE, STAMPED CONCRETE and DECORATIVE CONCRETE. Brings out the natural beauty and enriches the color of unpolished natural stone surfaces leaving a matte finish wet-look. A penetrating sealer that is UV stable will not yellow or peel, for interior and exterior use.

ORDER ONLINE



STONE PRO Stone Gloss

High gloss modified acrylic-based sealer for slate, brick, stamped concrete and decorative concrete. Stone Gloss is UV-stable will not yellow or peel. For interior and exterior use.

CLEANERS

STONE PRO



DAILY CLEANERS



STONE PRO Crystal Clean

Neutral pH Daily Stone Cleaner

- Easy to use neutral pH daily cleaner for all natural stone surfaces
- A rinse-less cleaner that will not streak or leave water spots
- Includes our Advanced Fluoropolymer Protectant to provide ongoing protection
- Available in ready-to-use formula and economical concentrate

ORDER ONLINE



STONE PRO Finishing Touch

Granite Countertop Revitilizer

- Clean, polish, and protect granite and quartz countertops in one easy step with Finishing Touch
- Enhances the natural beauty and shine
- Also works great on stainless steel

CLEANERS



QUARTZ CARE & MAINTENANCE



STONE PRO Quartz NanoGuard™ Protector

Repels liquids and block stains without changing the look and f eel of Quartz or Quartzite. This means you can wipe the surface clean before the mess sinks in for a beautiful, long-lasting stain-free appearance for years to come.

- Formulated for Quartz and Engineered Surfaces
- Prevents staining and repels spills
- Simple, two-step application
- Does not change appearance
- Safe for food preparation surfaces





STONE PRO Quartz Daily Cleaner

Leaves no streaks or build-up ideal for quartz, granite, marble, porcelain and tile surfaces

- Safe for any Quartz and Engineered Stone
- Makes easy work of wiping up everyday messes
- No harsh chemicals or bleach
- Safe for food preparation surfaces

ORDER ONLIN





STONE PRO Quartz Repair System

Use with: Lambswool, green and white foam pads or StonePro 3 Step Diamond Polishing Pads

- 1. Texture Reveal Textured finish after diamond polish
- 2. Resin Polish Removes haze to restore original finish
- 3. Final Polish Polishes to blend with factory finish

HEAVY DUTY CLEANERS



STONE PRO Formula 51

All-Purpose Alkaline Heavy-Duty Cleaner & Degreaser

• Safely removes stubborn grease and grime from natural stone, porcelain tile, ceramic tile, grout, masonry and brick.

ORDER ONLINE



STONE PRO Quick Clean

Heavy Duty Acidic Cleaner

- Highly concentrated acidic tile & grout cleaner and degreaser
- Removes stubborn dirt and grime
- For use on ceramic and porcelain tile, grout, concrete, brick and masonry surfaces
- Not for use on polished stone.

ORDER ONLINE



STONE PRO Deep Clean

Non-Acidic Heavy Duty Stone, Tile and Grout Cleaner

- Safe for use on polished and honed natural stone surfaces
- Highly concentrated with a dilution rate of 9 to 1 8x the industry standard

ORDER ONLINE



STONE PRO Pro Clean - Neutral No-Rinse Cleaner

A pH neutral no-rinse cleaner for all natural stone and hard surfaces.

- Detergent-free, leaves no residue which can dull the surface.
- Non-acidic.
- Available in concentrate gallon and Ready-To-Use 32 oz. Spray. Ready-To-Use (RTU) diluted 40:1

CRYSTALLIZERS



STONE PRO Polish Pro Crystallizer

Revolutionary liquid maintenance crystallizer that does not require the use of steel wool. Does not darken grouts and eliminates messy clean up. Achieves a durable shine and polish.

- Easy to use spray buff
- Increases polish & shine
- No steelwool
- Available in quart and gallon

ORDER ONLINE



STONE PRO Marble Polish Crystallizer

High quality liquid maintenance crystallizer, eliminate wear patterns, scratches, dullness and etching leaving a scuff resistant and long lasting durable shine. Applied using steel wool.

- For use with steelwool
- Available in guart and gallon

ORDER ONLINE

GRANITE POLISHING POWDERS/COMPOUNDS



STONE PRO GP3 Granite Polish Compound

A professional grade polishing compound designed specifically for restoration of granite surfaces.

Available in 2 lbs.

ORDER ONLINE



STONE PRO Pro Shine Polish Powder

A mixture of abrasives and chemicals that react with the granite surface to create a deep, brilliant factory-like finish. Minimizes light scratching and enhances color and shine.

• Available in Light and Dark - 1 lb. & 3 lbs..

POLISHING POWDERS



STONE PRO EMP-Easy Marble Polish

Easy to use formula that will not etch the surface. Excellent for use on marble, travertine and all calcite based stone and terrazzo. Polishes sensitive stone and serpentine stone. Can be used on floors, countertops and walls.

• Available in 3 lbs .& 50 lbs.

ORDER ONLINE



STONE PRO Oxalic Acid

Pure oxalic acid powder. This product is for professional use only.

• Available in 3 lbs .& 50 lbs.



STONE PRO EMP-Paste Polish Compound

Easy-to-use paste for polishing marble and travertine. Polishes sensitive stone and serpentine stone. Can be used on floors, countertops and walls.

• Available in 10 lbs.

ORDER ONLINE



STONE PRO Diamond Renew

Diamond abrasive and polishing compounds that yields the highest possible shine and clarity on marble, travertine and limestone surfaces. Can be used on floors, countertops and walls.

• Available in 1 lb., 3 lbs. & 50 lbs.

ORDER ONLINE



STONE PRO 5X Powder

A traditional marble and travertine polishing powder. Best for use by professional applicators.

Available in 3 lbs .& 50 lbs.



STONE PRO Honing Powder+

Non-acidic honing powder for all marble, travertine, terrazzo and other natural stone.

• Available in 10 lbs. Grits 80 - 600

REPAIR SOLUTIONS



STONE PRO Wet Poultice Oil Stain Remover

A toical poultice that pulls oil and water borne stains out of natural stone without discoloring the surface. Its non-acidic formula will not affect even the most sensitive stone. This product is ideal for removing oil and grease stains from kitchen countertops.

• 1lb, 3lb available

ORDER ONLINE



STONE PRO Traverfill

Permanently repairs unsightly holes, voids, and missing travertine fill. Available in either light or dark colors and can be mixed to create custom colors. Dries to a matte finish. Powder is converted to a paste by adding water and is applied like spackle.

• 1lb, 3lb available

ORDER ONLINE



STONE PRO Stone & Glass Scrub

Unique non-acidic, non toxic compound that safely removes hard water and mineral deposits from stone and glass surfaces. Combines organic cleaning agents and a very soft abrasive to gently remover hard water deopsits, soap scum and grime from polished stone and glass without harming or scratching the surface. Will not harm faucets, fixtures or metal framing.

• Pint, Quart available

ORDER ONLINE



STONE PRO Natural Touch Etch Remover

A unique buffing compound that restores shine and polish to damaged marble and travertine surfaces. Can be applied by hand or with a low speed buffer and a white nylon pad.

- Etch marks
- Water rings

DIAMOND IMPREGNATED PADS

STONE PRO Zoom Diamond Impregnated Pads

StonePro ZOOM Pads are designed for cleaning, light restoration and maintenance. Each pad has millions of micro-diamonds infused to the surface. The result is quicker and easier polishing with no need for additional chemicals to get a great result. These diamond floor pads can be used on marble, travertine, limestone, terrazzo and polished concrete. ZOOM Pads come in a variety of grits and sizes to fit the most popular machines and take on jobs for light maintenance to heavy duty cleaning and repair.

- Cost Effective
- Easy-to-Use
- Ecologically Friendly
- Chemical-Free

ORDER ONLINE

200

The most aggressive grit available. Designed for removal of moderate scratch damage. Ideal for maintenance on non-polished (honed) marble, travertine and limesstone surfaces.

400

Removes moderate to light scratches and stains leaving a clean matte finish.

800

Removes fine surface scratches and light stains leaving a smooth slightly reflective finish.

1,500

Cleans and prepares floor for a high polish. Brings back luster and can also be used for periodic maintenance where scratch removal is not necessary.

3,000

Cleans and leaves floor with a high polish. Can be used as a daily maintenance pad.

8,000

Adds additional shine when used after conventional abrasive polishing steps.

11,000

Yields a super high gloss finish on floors that have been treated with prior steps or conventional abrasive polishing steps. Can be used as a daily maintenance pad.





RESTORATION PADS



REV Diamond Polishing system was created with ease of use in mind. The complete REV system consists of 4 steps. The first step is the most aggressive grit that will remove etches and moderate scratch damage. The following steps (2-4) will remove the scratch pattern from the previous pad and improve the color and reflection of the floor, ending with a chemical-free mechanical polished finish with sharp clarity. Available in 17 inch.

17" Resin Diamond Restoration Floor Pads



STEP 1 - Removes scratches, wear damage and stains on natural stone, terrazzo and concrete floors.



STEP 2 - Removes light scratches, wear damage and stains leaving a clean matte finish on natural stone, terrazzo and concrete floors.



STEP 3 - Removes wear patterns and stains leaving a clean satin finish on natural stone, terrazzo and concrete floors.



STEP 4 - Polishes the surface of natural stone, terrazzo and concrete floors. Will not leave an orange peel effect on natural stone.

ORDER ONLINE

5" Bevel Pucks for an even more aggressive cut

- Consistent performance
- Long-lasting results
- Cost efficient and environmentally friendly
- Chemical-free solution

ORDER ONLINE



STEP 1



STEP 2



STEP 3



STEP 4

5" Flat Pucks for Countertop Polishing

- Consistent performance
- Long-lasting results
- · Cost efficient and environmentally friendly
- Chemical-free solution



STEP 1



STEP 2



STEP 3



STEP 4





STORM Wet / Dry Vacuum with Tools - 20 Gallon

Heavy Duty Wet / Dry Vac for Stone Slurry Dual 1.33 HP Motors / 225 cfm Airflow / Durable Tank / 20 gallon Tank. Powerful dual 1.335 HP/1000 watt vacuum motors with separate switches for each. Super-durable poly tank construction.

Tools include:

- 10 ft long vacuum hose
- Dust brush
- Squeegee too
- Scalloped bristle floor tool,
- Crevice tool
- 20-gallon tank capacity. 20 ft power cord

ORDER ONLINE

STONE PRO Floor Machine

- Natural stone polishing machine.
- Rugged all-metal Construction.
- 1.5 Hp ac motor with large triple planetary gearing for additional torque.
- Low run/start amperage
- High quality gear box
- 175 RPM
- Available in 13", 17" & 20"

ORDER ONLINE





Weighted Drive Plate

Most other manufacturers stack weights on the top of the machine to add the desired weight. This creates a topheavy machine that wobbles as it moves from side to side which leads to an uneven surface, polish and shine.

StonePro solves this problem with our weighted drive plates. The weight on the bottom stabilizes the machine.

• Available in 13", 17" & 20"

APPLICATORS



Sealer Applicator

Hand-held foam applicator for impregnating sealers. Applies sealer evenly and minimizes waste.

ORDER ONLINE



Microfiber Floor Pads

Dry, Wet, & Dust Pads

ORDER ONLINE



Microfiber Towels

14" X 14" Square MicroFiber Towel Excellent for Applying Finishing Touch Spray and Crystal Clean

ORDER ONLINE



Grout Brush

- Triangle Shaped for Wall and Floor Use
- Acid Resistant

ORDER ONLINE

Mop Swivel Handle Set

Telescoping swivel mop handle with velcro bottom. Fits 18" mop pads.

ORDER ONLINE





Striped Microfiber

26" striped microfiber mop applicators are ideal for applying guard on concrete and terrazzo floors. The striped design helps minimize 'stop marks' for smoother application

PREP TAPING





Tape & Drape 22" X 100' General Purpose

This pre-taped mask film is perfect protection for use in areas where straight lines are needed. Tape is applied along one edge of high-density masking film. Unfolds to cover and protect various surfaces while painting. Working Time – 24 hrs.

- Treated film attracts overspray
- Film clings to anything
- Quick & easy clean up
- Straight lines & reduced touch-ups
- 0.4 mil thickness
- For commercial & residential use

ORDER ONLINE



Alpha G-Tape Multi-Purpose Masking

The Alpha G-Tape is a multipurpose masking, Hard surface protection and repair tape.

- Hand Tearing-Straight & Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40F to 200F)
- Repositionable
- Highly Weather / UV Resistant
- Good Surface Protection
- Great for Quick Repairs

PREP TAPING



Polyken 223 Multi-Purpose Duct Tape: 2" x 60 yds.

High adhesion duct tape for a broad range of applications. Applications include sealing duct work; general purpose packaging and repair; holding insulation materials in place; color coding; hanging and seaming poly sheeting; sealing and closure tape for poly bags; temporary holding and bundling; and creating a condensation barrier in refrigeration assemblies. Polyken 223 Duct Tape has good tensile strength, excellent adhesion to a variety of surfaces, is conformable, and will not twist or curl during application.

ORDER ONLINE



Scotch 3M Contractor Grade Masking Tape

the professional's choice in projects where higher adhesion tapes are needed. This tape's high adhesion level makes it ideal for most coated and non-damageable surfaces. Scotch Masking Tape provide exceptional durability and staying power, yet still offers the same clean removal you would expect from Scotch brand tapes. This tape bonds aggressively, yet is easy to unwind and applies smoothly. Scotch Masking Tape can be used for general home and office use or for hanging poly.

- High adhesion level
- 3 day removal
- Resists sunlight and UV damage
- Easy to use and applies smoothly
- For interior and exterior use
- Great for DIY
- General home and office use

ORDER ONLINE



Scotch 3M Heavy Duty Masking Tape Orange

Scotch 3M Heavy Duty Masking Tape Orange features a high visibility orange color with a thick, robust backing. Designed for interior or exterior job site paint masking applications on non-damageable surfaces. Use on vinyl, carpet, metal, and plastic. Scotch® Heavy Duty Masking Tape is recommended for use with or on lacquer coatings. This tape holds to surfaces for up to 3 days and then removes easily without leaving any sticky residue behind.

- Designed for use on vinyl, carpet, metal, and plastic
- 3-day clean removal leaving behind no damage or sticky residue
- Strong adhesive
- Recommended for use with or on lacquer coatings
- Bonds aggressively, yet has a smooth unwind

MALISH® GRIT BRUSHES



MALISH Black 80 Grit Mal-Grit

An aggressive brush for general scrubbing or stripping finishes from hard surfaces. Effectively cleans wide grout lines.

Available in 17"

ORDER ONLINE



MALISH Blue 180 Grit Clean-Grit

An excellent general scrubbing brush for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

• Available in 17"

ORDER ONLINE



MALISH Green 120 Grit Mal-Grit Scrub

Ideal for daily scrubbing and maintenance. While the smaller diameter bristles offer flexibility, the larger grit size offers exceptional scrubbing.

• Available in 17"

ORDER ONLINE



MALISH Mighty-Lok

The molded polymer pad face has hundreds of individual hooks that grip into the threads of a floor pad and hold it securely while operating. The pad driver block includes a built-in riser and a showerfeed system allowing it to be used with solution dispensing machines.

• Available in 13", 17" & 20"

MALISH® GRIT BRUSHES



MALISH Orange 46 Grit Mal-Grit Xtra

The most aggressive grit available. This heavy gauge nylon with larger grit is used for stripping heavily soiled floors, such as concrete floors in an industrial setting.

Available in 17"

ORDER ONLINE



MALISH Red/ Brown 500 Grit Mal-Grit Lite

Offers the durability of grit brushes with minimum aggression. For daily scrubbing of a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

• Available in 17"

ORDER ONLINE



MALISH Stabi Pad Driver

Heavy polypropylene strands trimmed irregular at 3/42 are staple making this the superior tufted pad driver choice. Tufts penetrate into the pad for secure holding power.

• Available in 17"

ORDER ONLINE



MALISH Tampico Scrubbing Brush

100% White Tampico is naturally acid resistant. That makes this the ideal choice for use in the marble polishing industry. Great for general scrubbing and polishing on other hard surface floors as well. Long Lasting natural fiber brush for scrubbing and cleaning.

• Available in 13", 17" & 20"

DIAMOND RESIN PADS

Power Flex Diamond Pads 3" 3mm



- Most popular selling floor diamond
- For use on marble, limestone, travertine and all calcium based natural stones
- Flexible enough to ride over lippage without breaking
- Large water channels for efficient slurry removal and fast cut
- Grits: 30, 50, 120, 220, 400, 600, 800, 1800, 3500

Power Block Diamond Pads 3" 6mm



ORDER ONLINE

- Superior shine and great value
- For use on marble, limestone, travertine and all calcium based natural stones
- Rigid for flat floors and long life
- Large water channels for efficient slurry removal and fast cut
- Grits: 30, 50, 120, 220, 400, 600, 800, 1800, 3500

Power Cube Diamond Pads 3" 9mm



- Extended life on heavier machines
- For use on marble, limestone, travertine and all calcium based natural stones
- Rigid backing for use on flat floors
- Large water channels for efficient slurry removal and fast cut
- Grits: 30, 50, 120, 220, 400, 600, 800, 1800, 3500

DIAMOND RESIN PADS



Ice Pro Floor Diamond Pads 3" 6mm

New Premium Ice Pro Diamond Pad

- Fast cutting, reduces labor
- No chance for color transfer to stone or grout
- Produces excellent clarity
- Can reduce number of steps needed
- Female hook & loop backing
- 6mm Resin
- Grits: 30, 50, 120, 220, 400, 800, 1800, 3500



Rosex Marble Floor Diamond Pads 3" 6mm

New Premium Rosex Diamond Pads for Marble and other natural stones.

- Unique water channel design for easy swarf removal
- long product life
- High 6mm segment designed for
- Beveled edge easily rides over lippage
- Female hook & loop backing
- 6mm Resin
- Grits: 30, 50, 120, 220, 400, 800, 1800, 3500



Marble Supreme Diamond Polishing Pads

Ideal for polishing marble countertops and showers. Available in 4", 5" and 7" diameters. Great for Marble, Granite and Concrete.

- Grits: 30, 50, 120, 220, 400, 800, 1800, 3500
- Available in 4", 5", 7"



STONE PRO Diamond Riser Velcro Pads

These 3", 4", and 5" soft foam riser pads attach to the back of your resins and coppers. They lift up your velcro-backed tooling on your grinder plates to ensure longevity of both the tooling and the plate by preventing over-heating and wear. These foam risers feature a male and female hook and loop connection.

• Available in 3", 4", 5"

RESTORATION DIAMONDS



STONE PRO Diamond On Top Pad

Resin diamonds great for polishing concrete, terrazzo and stone. Easily mounts under your existing cleaning/polishing equipment; no new investments necessary. Will not leave swirls.

- Grits: 50, 120, 220, 400, 800, 1800, 3000, 8500
- Available in 7", 17", 20"

ORDER ONLINE



STONE PRO Turbo Cat 3" Lippage Removal Diamond Pads

3mm thick vacuum brazed fast cutting lippage removal diamonds.

- Grits: 30, 50, 100, 200
- Available in 3"

ORDER ONLINE



STONE PRO Power Claw 3" Lippage Removal Diamond Pads

6mm thick metal bond lippage removal diamonds. Long Life!

- Grits: 30, 50, 70, 120, 200, 400, 800, 1500, 3000
- Available in 3"

ORDER ONLINE



STONE PRO Electroplated Diamond Pads

Ideal for polishing marble countertops and showers. Available in 4 ", 5" and 7" diameters. Great for Marble, Granite and Concrete.

- Grits: 50, 70, 120, 220, 400, 600
- Available in 3", 5", 7"

MAINTENANCE PADS



STONE PRO Black Floor Stripping Maintenance Pads

Durable, long lasting, and designed with open construction to allow finish and stripping solutions to flow through and to resist clogging. Thicker pad with open web structure for longer life and less loading. Manufacturing process efficiencies for increased tensile strength and uniform grain distribution. Breadth of line for broadest application coverage.

- Aggressively removes floor finish and dirt, cleans down to original surface
- Use with floor machines up to 350 RPM
- Designed for heavy duty wet stripping
- Available in 7", 17" & 20"

ORDER ONLINE



STONE PRO Green Floor Scrubbing Maintenance Pads

Durable, long lasting, and designed with open construction to allow finish and stripping solutions to flow through and to resist clogging. Thicker pad with open web structure for longer life and less loading. Manufacturing process efficiencies for increased tensile strength and uniform grain distribution. Breadth of line for broadest application coverage.

- Aggressively removes dirt and scruff marks from heavily soiled floors
- Use with floor machines up to 350 RPM
- Designed for heavy duty wet scrubbing or light stripping
- Available in 7", 17" & 20"

ORDER ONLINE



STONE PRO Hogs Hair Extreme Polishing Floor Pads

Higher solid and harder finishes are in high demand, and to achieve this look, you need a more aggressive pad. The Extreme Hogs Hair Pad contains the highest concentration of hog hair available. These pads are ideal for use on machines up to 3,000 RPM to achieve that desired polish. A blend of natural fiber and polyester with the majority natural fiber provides the optimum "wet look" finish.

- Use with floor machines up to 3,000 RPM
- Available in 7", 17" & 20"

ORDER ONLINE



STONE PRO Hogs Hair Polishing Floor Maintenance Pads

Natural Fibers produce wet look finish. Use dry or with spray buff solution. For minimal burnishing on hard finish. Hogs Hair floor pad is made with a blend of natural fiber and polyester. To clean it, just brush away dried wax with it's die cut center. It will not glaze over.

- Use with floor machines up to 3,000 RPM
- Available in 7", 17" & 20"

MAINTENANCE PADS



STONE PRO Red Floor Buffing Maintenance Pads

Generally used where a high gloss finish is desired when dry or spray buffing. It can also be used for light cleaning applications. Removes light scuff marks and dirt while producing a high gloss surface.

- Produces a high gloss finish when buffing dry or spray buffing
- Use with floor machines up to 800 RPM
- Available in 7", 17" & 20"

ORDER ONLINE



STONE PRO Tan Floor Buffing Maintenance Pads

For use with ultra high speed machines (1,500-3,000 RPM) on harder finishes or in high traffic areas. Produces brilliant wet-look in gloss. Designed for exceptional durability, life and superior mark removal.

- For dry buffing and light cleaning. Removes light scuff marks and dirt while shining floors.
- Use for buffing or limited spray cleaning on harder finishes and high traffic conditions.
- Made of polyester fiber in a non woven web having resins throughout and bonded to the web structure.
- Produces good gloss improvement while removing scuffs and marks. Exceptional durability.
- Use with floor machines up to 800 RPM
- Available in 17"


ORDER ONLINE



STONE PRO White Floor Maintenance Pads

Extra fine pads for polishing clean dry floors. Use dry or with restorative chemicals to produce a wet look gloss.

- Thicker pad with open web structure for longer life and less loading
- Manufacturing process efficiencies for increased tensile strength and uniform grain distribution
- Breadth of line for broadest application coverage
- A non-abrasive polishing/buffing pad, used dry or with a fine mist to yield a mirror gloss shine
- Use with floor machines up to 3,000 RPM
- Available in 7", 17" & 20"



714-772-2490 / 800-927-2490

www.hardrocktool.com

G G

HARDROCK

TOOLS FOR STONE, TILE & CONCRETE

